

## Effect of the Collisional Frequency Variations on the Transmitted Power in Argon Plasma

M.S. Aggoune, R. Abdessemed, F.Z. Kadid and S. Drid  
 Department of Electrical Engineering, University of Batna,  
 Rue M.E.H Boukhlof, Algeria

**Abstract:** The investigation of the variations of the electromagnetic power transmitted in a WR 340 waveguide partially filled with argon plasma over a range of frequencies is carried out. Unlike previous approaches where the permittivity of the plasma is either considered constant, or evaluated at a fixed frequency or where the collision frequency is completely neglected, our analysis takes into account the variations of this parameter in determining the power absorbed by the plasma. Results show that at frequencies close to the plasma frequency the amount of power delivered to the plasma is minimal due to maximal attenuation.

**Key words:** Microwave power, collisional plasma, complex permittivity, wave complex constant, skin depth, rectangular waveguide

### INTRODUCTION

Material processing is rapidly growing because of its numerous applications and the advantage of using microwave energy (Oktay and Akman, 2003). Besides their main usage as a guiding wave apparatus, waveguides are widely used in electronic structures. When filled or partially filled with an ionized gas, they can be used for electromagnetic material characterization to determine the complex permittivity of nobles gases (Motta *et al.*, 2001; Jose *et al.*, 2003; Zulkifly *et al.*, 2001; Santra and Limaye, 2005) and produce and sustain a plasma (MIP: Microwave-Induced Plasma) (Karyn *et al.*, 2001). These structures can be used in a number of applications: deposition, cutting, welding and cleaning (waste treatment) (Mostofa *et al.*, 2005). Since all the power transmitted by a source is guided within the waveguide, the losses are small and the efficiency becomes important. The structure investigated in this study was the subject of many publications (Oktay and Akman, 2003; Motta *et al.*, 2001; Jose *et al.*, 2003; Zulkifly *et al.*, 2001; Santra and Limaye, 2005; Karyn *et al.*, 2001; Mostofa *et al.*, 2005; Phadungsak *et al.*, 2002 a, b; Giovanni, 2005).

In this research the power transmitted at frequencies close to the plasma frequency and collision rate is investigated through the determination of the wave complex constant. The dispersion equation is then used to determine the range of frequencies enabling the propagation of only the fundamental mode  $TE_{10}$ . The power delivered to the collisional plasma is then determined for different collision frequencies.




Fig. 1: Rectangular waveguide partially filled with argon plasma

### PROBLEM DESCRIPTION

A microwave is transmitted into a WR 340 waveguide (Fig. 1) partially filled with an argon plasma. The power delivered by the source travels in the part filled with air with no attenuation and the incident wave is damped in the collisional plasma. The electromagnetic wave ( $\vec{E}, \vec{B}$ ) propagates in mode (m, n) depending on the frequency of the the medium permittivity according to the wave dispersion equation (Perez *et al.*, 1997).

$$K^2 = \frac{\omega^2}{c^2} \epsilon_{rc} - \frac{m\pi^2}{b^2} + \frac{n\pi^2}{a^2} \quad (1)$$

where  $\omega = 2\pi f$  is the wave angular frequency, c the speed of light,  $\epsilon_{rc}$  the complex permittivity of the medium, (m, n) the wave mode and K the wave constant.

In non-magnetic mediums and using the usual  $e^{-i\omega t}$  time dependence in harmonic propagation, the Maxwell's Equations can be reduced to:

$$\text{div} \vec{E} = 0 \quad (2)$$

$$\text{div} \vec{B} = 0 \quad (3)$$

$$\text{Rot} \vec{E} = i\omega \vec{B} \quad (4)$$

$$\text{Rot} \vec{B} = -i\mu_0 \epsilon_0 \omega \epsilon_r + i \frac{\sigma}{\omega \epsilon_0} \vec{E} \quad (5)$$

Where  $\mu_0$  and  $\epsilon_0$  are, respectively the magnetic permeability and the dielectric constant of vacuum and  $\epsilon_r$  and  $\sigma$  are the relative permittivity and the conductivity of the given medium.

**Wave propagation in the volume of the waveguide filled with air:** In the volume filled with air,  $\sigma = 0$  and  $\epsilon_r$  is considered close to unity. The wave equation for  $\vec{E}$  is then:

$$\Delta \vec{E} + \frac{\omega^2}{c^2} \epsilon_r \vec{E} = 0 \quad (6)$$

where

$$c = \frac{1}{\sqrt{\mu_0 \epsilon_0}}$$

is the speed of light in vacuum.

The wave constant K is such that:

$$K^2 = \frac{\epsilon_r}{c^2} (\omega^2 - \omega_{cnn}^2) \quad (7)$$

Where

$$\omega_{cnn} = \frac{c}{\sqrt{\epsilon_r}} \sqrt{\frac{m\pi^2}{b} + \frac{n\pi^2}{a}}$$

is the cut off angular frequency of the waveguide. Equation (7) shows that, when  $\epsilon_r$  is real positive (which is the case for all materials except plasmas), the wave constant is then: real positive if  $\omega > \omega_{cnn}$  or pure imaginary  $K = i|K|$  if  $\omega < \omega_{cnn}$ . For the first case:  $\vec{E} = \vec{E}_0(x,y)e^{i(Kz - \omega t)}$  and the wave travels in the z direction without damping. In the second case:  $\vec{E} = \vec{E}_0(x,y)e^{-|K|z}e^{-i\omega t}$ . The wave does not propagate in the waveguide (evanescent wave).

**Wave propagation in the plasma:** In this medium  $\epsilon_{rc}$  and  $\sigma$  are complex quantities given, respectively by:

$$\epsilon_{rc} = \epsilon_r + i\epsilon_r'' \quad (8)$$

And:

$$\sigma = \sigma' + i\sigma'' \quad (9)$$

The expressions for  $\sigma'$  and  $\sigma''$  are deduced using the cold plasma, one fluid Drude Model (Perez *et al.*, 1997) for a collisional plasma with a collision frequency  $\nu$  and a plasma frequency  $\omega_p$  such as:

$$\sigma = \sigma_0 \frac{\nu^2}{\omega^2 + \nu^2} + i \frac{\omega \nu}{\omega^2 + \nu^2} \quad (10)$$

$$\epsilon_{rc} = 1 - \frac{\omega_p^2}{\omega^2 + \nu^2} + i \frac{\nu}{\omega} \frac{\omega_p^2}{\omega^2 + \nu^2} \quad (11)$$

Where  $\sigma_0$  is the DC conductivity of the plasma.

Typical density n and collision frequency  $\nu$  parameters used for argon plasma, as reported in (Mostofa *et al.*, 2005) fall in the ranges of:  $3 \times 10^{16} < n < 2.3 \times 10^{17} \text{ m}^{-3}$  and  $6.23 \times 10^9 < \nu < 14.4 \times 10^{11} \text{ rd s}^{-1}$ . In our analysis we selected  $n = 7 \times 10^{16} \text{ m}^{-3}$  and  $\nu = 12 \times 10^9 \text{ rd s}^{-1}$  which are consistent with the published results. The calculated plasma frequency  $\omega_p$  is thus equal to  $15 \times 10^9 \text{ rd s}^{-1}$ .

The plot of the complex permittivity (Fig. 2) shows that for angular frequencies less than  $9 \times 10^9 \text{ (rd s}^{-1})$ , the real permittivity becomes negative and the material acquires a high imaginary part. In the plasma, the wave constant is complex such that:

$$K = K' + iK'' \quad (12)$$

where  $K'$  is the phase constant and  $K''$  is the attenuation constant. The two parameters are computed as:




Fig. 2: Permittivity versus angular frequency

$$K' = \frac{1}{\sqrt{2}} \sqrt{X^2 + Y^2} - X^{\frac{1}{2}} \quad (13)$$

$$K'' = \frac{Y}{2K'} \text{ with } K'' \geq 0$$

where:

$$X = \frac{\omega^2 \epsilon_r'}{c^2} - \frac{m\pi^2}{b} + \frac{n\pi^2}{a} \quad (14)$$

$$Y = \frac{\omega^2 \epsilon_r''}{c^2}$$

The case  $K'' = 0$  for which  $\epsilon_r'' = 0$ , describes a collisionless plasma having a real permittivity:

$$\epsilon_{rc} = \epsilon_r' = 1 - \frac{\omega_p^2}{\omega^2} \quad (15)$$

For  $\omega > \omega_p$ ,  $\epsilon_{rc}$  is positive and the wave propagates without damping. This result explains the transparency of metals to ultra-violet and X-rays. It shows also the possibility to communicate via satellites, through the ionosphere, by using frequencies of few MHz since the ionosphere plasma frequency is of the order of  $10^6$  rd/s (Perez *et al.*, 1997).

If  $\omega < \omega_p$ , then  $\epsilon_r' < 0$  (left handed material) and the wave does not propagate in the plasma. It is totally reflected.

For the general  $K' \neq 0$  case and  $K'' = 0$  the  $TE_{10}$  wave travels within the plasma in an attenuated form and the electric field is then given by:

$$\vec{E} = E \sin\left(\frac{\pi}{b}x\right) e^{-K'z} e^{-i(Kz - \omega t)} \vec{j} \quad (16)$$

$E$  is the magnitude of the incident wave which depends on the input power transmitted to the plasma. The wave is damped by a factor

$$\delta = \frac{1}{K'}$$

which describes the skin depth in the plasma. Figure 3 shows that the attenuation constant approaches zero as the frequency is increased. The wave will propagate in the plasma without damping with a large wave number.

### NUMERICAL METHOD ANALYSIS

Applying the weak Galerkin formulation to Eq. 6, then evaluating the resulting integrals by parts over the whole problem domain ( $\Omega$ ) and finally substituting the appropriate boundary conditions as shown in Fig. 4, we obtain a partial differential equation




Fig. 3: Attenuation coefficient and wave constant versus angular frequency




Fig. 4: Boundary conditions




Fig. 5: Mesh of the domain with triangular elements

of the form:

$$[C] + [M] [E] = 0 \quad (17)$$

with:

$$[C] = \int_{\Omega} \frac{\omega^2}{c^2} \epsilon_r \psi_i \psi_j d\Omega$$

$$[M] = \int_{\Omega} \overline{\text{grad}}(\psi_i) \overline{\text{grad}}(\psi_j) d\Omega$$

The code generated is based on an unstructured mesh-generation. For accuracy in application of boundary conditions, triangular type mesh is utilized. The mesh of the domain is given in the Fig. 5.

Figures 6-8 shows a simulation of the electrical field, inside the plasma, respectively at an angular frequency of  $25 \times 10^9$ ,  $27 \times 10^9$  and  $30 \times 10^9 \text{ rd s}^{-1}$ , for  $0 \leq x \leq 0.1 \text{ m}$  and  $0 \leq z \leq 0.5 \text{ m}$ . The attenuation coefficient is greatly reduced as the angular frequency is increased.

**Power analysis:** The power transmitted in the waveguide to the plasma, through its normal section (a,b), can be determined using the Poynting Theorem (Perez *et al.*, 1997):

$$P = \int_S \vec{P} \cdot d\vec{S} \quad (18)$$

where  $\vec{P}$  is the Poynting vector.

The energy of the wave is absorbed by the electrons near the interface, where the electric component of the wave is strong. Hence, the electrons are being heated here and transfer the energy into the plasma bulk by diffusion (Annemie *et al.*, 2002; Rusanov and Yakovenko, 2004).





Fig. 7:  $TE_{10}$  Electrical wave in plasma  $27 \times 10^9 \text{ rd s}^{-1}$




Fig. 6:  $TE_{10}$  Electrical wave in plasma  $25 \times 10^9 \text{ rd s}^{-1}$




Fig. 8:  $TE_{10}$  Electrical wave in plasma  $30 \times 10^9 \text{ rd s}^{-1}$




Fig. 9: Maximum power versus angular frequency

The mean value of the transmitted power inside the plasma decays by a factor of  $2K''$  and its maximum is obtained for  $z = 0$  as:

$$\langle P(0) \rangle = \frac{1}{4} c^2 a. b. \epsilon_0 E^2 \cdot \left( \frac{K'}{\omega} \right) \quad (19)$$

Figure 9 shows that the maximum mean value power transmitted to the plasma reaches its minimum at the plasma frequency. For  $\nu > \nu_p$  the maximum power is quasi linearly dependant on the angular frequency.

### DISCUSSION

The power analysis of the transmitted energy to a collisional plasma confined in a rectangular waveguide is carried out. The results show that, for an optimal usage of the waveguide, it is necessary to avoid the frequency band  $\omega_p^2 - \omega_c^2 < \omega < \omega_p^2$  where the attenuation constant reaches its maximum value and thus the power transmitted to the plasma reaches its minimum.

As the collision frequency is varied for different temperatures of the plasma, the power transmitted to the plasma increases proportionally to the plasma collision frequency for a fixed plasma density.

For an even higher increase in the angular frequency such that  $\omega \gg \omega_p$ , the results show that  $0 < \epsilon_r < 1$  and the plasma behaves as vacuum where the wave has no attenuation and all the energy is transmitted to the medium.

### CONCLUSION

In this study, the power transmitted to argon plasma is studied for different collision frequencies. The analysis takes into account the variations of the complex

permittivity of argon with frequency in the case where the three parameters  $\nu_p$ ,  $\nu_c$  and  $\nu$  have close values.

The analytical and numerical results show that the power absorbed by the plasma reaches its minimum for frequencies less than  $\omega_p$  where the wave is highly attenuated.

The main assumption is that the density of the plasma remains constant and do not change axially. This is not the case since the power absorption decays rapidly along the axis of the waveguide and suggests that the plasma parameters be also dependant on the  $z$  dimension. As hypothesized by (Motta *et al.*, 2001), the results remain valid when the thickness of the plasma is of the same magnitude as the skin depth.

### REFERENCES

- Ali Oktay and Ali Akman, 2003. An Analysis of the FDTD Method for Modeling the Microwave Heating of Dielectric Materials within 3D Cavity System, *JEE.*, 3: 52-55.
- Annemie Bogaerts, Eric Neyts, Renaat Gijbels and Joost van der Mullen, 2002. Gas discharge plasmas and their applications, *Spectrochimica Acta Part B* 57: 609-658.
- José, M., Catala-Civera, Antoni, J. Canos, L. Felipe Penaranda-Foix and Elias de los Reyes Davo, 2003. Accurate Determination of the Complex Permittivity of Materials With Transmission Reflection Measurements in Partially Filled Rectangular Waveguides, *IEEE. Trans. Microwave Theory and Techniques*, pp: 16-24.
- Karyn, M., M. Green, Cristina Borrás, P. Paul, Woskov, Guadalupe, J. Flores, Kamal Hadidi and Paul Thomas, 2001. Electronic Excitation Temperature Profiles in an Air Microwave Plasma Torch, *IEEE. Trans. Plasma Sci.*, 29: 399-406.
- Mostofa, K., Howlader, Yunqiang Yang and J. Reece Roth, 2005. Time-Resolved Measurements of Electron Number Density and Collision Frequency for a Fluorescent Lamp Plasma Using Microwave Diagnostics, *IEEE. Trans. Plasma Sci.*, 33: 1093-1099.
- Motta, C.C., A.D. Fonseca, G.H. Gomes and H.S. Maciel, 2001. Complex Permittivity Measurement in Dielectric Waveguide Filled with Argon Plasma, *SBMO/IEEE MTT-5 IMOC Proceedings*.
- Mrityunjay, S. and K.U. Limaye, 2005. Estimation of Complex Permittivity of Arbitrary Shape and Size Dielectric Samples Using Cavity Measurement Technique at Microwave Frequencies, *IEEE. Transactions on Microwave Theory and Techniques*, 53: 718-722.
- Perez, J.P., R. Carles and R. Fleckinger, 1997. *Electromagnétisme fondements et applications*, 3<sup>eme</sup> édition, Masson, Paris.

- Phadungsak Ratanadecho, Kazuo Aoki and Masatoshi Akahori, 2002. A numerical and experimental investigation of the modeling of microwave heating for liquid layers using a rectangular wave guide (effect of natural convection and dielectric properties), *Applied Mathematical Modeling*, 26: 449-472.
- Phadungsak, R., Kazuo Aoki and Masatoshi Akahori, 2002. The Characteristics of Microwave Melting of Frozen Packed Beds Using a Rectangular Waveguide, *IEEE. Trans. Microwave Theory and Techniques*, 50: 1495-1502.
- Rusanov, A.F. and V.M. Yakovenko, 2004. Electromagnetic waves in a rectangular plasma waveguide and their interaction with an electron beam, *MSMW Symposium Proceedings. Kharkov, Ukraine*, pp: 369-371.
- Zulkifly, A., Roger, D. Pollard and W. Kelsall, 2001. Complex Permittivity Measurements at Ka-Band Using Rectangular Dielectric Waveguide *IEEE. Trans. Instrumentation and Measurements*, 50: 1334-1342.