



Asian Journal of Epidemiology

ISSN 1992-1462

science
alert
<http://www.scialert.net>

ANSI*net*
an open access publisher
<http://ansinet.com>



Short Communication

Health Literacy in Dentistry Among Undergraduate Students in Indonesia

Anton Rahardjo, Muhammad Nur Wachid, Melissa Adiatman, Yuniardini S. Wimardhani and Diah Ayu Maharani

Department of Preventive and Public Health Dentistry, Faculty of Dentistry, University of Indonesia, Jalan Salemba No. 4, Jakarta, 10430, Indonesia

Abstract

Background and Objective: Oral health literacy is an emerging focus of public health research and has been found to be an important predictor of oral health outcomes. Data on oral health literacy in Indonesia, which is the world's 4th most populous country is absent from the literature. The objective of this pilot study was to develop an Indonesian version of the Health Literacy in Dentistry (HeLD) instrument and to analyze its reliability among undergraduate students. **Materials and Methods:** The HeLD questionnaire was back translated into Indonesian. The 29 items of the HeLD scale were used to assess the components of oral health literacy. The reliability of the HeLD domains (receptivity, understanding, support, economic barriers, access, communication and utilization) were evaluated in undergraduate students from the University of Indonesia. **Results:** Three hundred and eighty one students completed the questionnaire. The mean total HeLD score was 3.3 ± 0.57 . Oral health literacy was higher among female students and those studying in health-related fields. All domains had high internal consistency (Cronbach's $\alpha = 0.94$). The Spearman's correlation coefficients between the seven domains of HeLD were significant (all $p < 0.001$). **Conclusion:** The Indonesian version of the HeLD appears to be a reliable instrument. Future studies should complement its psychometric testing and extend its application to various communities.

Key words: Dentistry, health literacy, oral health, HeLD, CITCs

Received: November 09, 2015

Accepted: December 16, 2015

Published: June 15, 2016

Citation: Anton Rahardjo, Muhammad Nur Wachid, Melissa Adiatman, Yuniardini S. Wimardhani and Diah Ayu Maharani, 2016. Health literacy in dentistry among undergraduate students in Indonesia. *Asian J. Epidemiol.*, 9: 24-29.

Corresponding Author: Diah Ayu Maharani, Department of Preventive and Public Health Dentistry, Faculty of Dentistry, University of Indonesia, Jalan Salemba No. 4, Jakarta, 10430, Indonesia Tel: +62-818164623 Fax: +62-21-3191412

Copyright: © 2016 Anton Rahardjo *et al.* This is an open access article distributed under the terms of the creative commons attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

Competing Interest: The authors have declared that no competing interest exists.

Data Availability: All relevant data are within the paper and its supporting information files.

INTRODUCTION

Oral health literacy is defined as the degree to which individuals have the capacity to gain, process and understand basic oral health information and services needed to make appropriate oral health decisions¹. Therefore, a community's oral health literacy level affects the overall burden of oral health diseases and contributes to the presence of oral health disparities². Oral health literacy is an important contributing factor to the global disease burden, especially in Indonesia³. Identification of levels of health literacy may help tailor interventions that can be implemented to improve health outcomes⁴.

The Health Literacy in Dentistry (HeLD) instrument was developed as a reliable, valid and culturally suitable instrument to assess oral health literacy⁵. The scale used the Health Literacy Management Scale (HeLMS) as a foundation. A number of theoretical constructs were included, such as one's ability to seek, understand and use oral health information to access and benefit from oral health care services⁶. The HeLD has seven domains that reflect those used in the HeLMS. The HeLD accounts for the multidimensional nature of oral health literacy and encompasses the domains of receptivity, understanding, support, economic barriers, access, communication and utilization, which have all been shown to impact oral health status. The results of a HeLD pilot study highlighted its potential to be used across a variety of health care settings. However, these results still allow reliable international comparisons to be made¹. The results of studies utilizing the HeLD tool are relevant for any studies measuring oral health literacy in marginalized or mainstream groups⁶. However, the findings should be replicated in other populations before the scale is used broadly in health services research. The findings will be important to determine the effects of interventions or programs aimed at improving oral health outcomes⁵.

One of the goals of Indonesian health policy is "Health for all," which includes dental care. Therefore, it is important to periodically assess dental health and to identify barriers to achieving good oral health³. Moreover, the perceived need for and utilization of dental care among Indonesians was found to be low and there are persistent disparities in dental care⁷. Low health literacy may be a cause of the low perceived need, which justifies the exploration of health literacy in the Indonesian community.

Oral health literacy has emerged as a new public health challenge and is an important predictor of oral health

outcomes⁶. To date, a health literacy instrument in the Indonesian language has not been available. In Indonesia, dental health can be quickly and inexpensively evaluated periodically using subjective indicators as screening instruments provided by an oral health literacy questionnaire. The objectives of this study were to develop an Indonesian version of the HeLD instrument and to examine its reliability.

MATERIALS AND METHODS

This study was performed in 2014 and comprised a series of items in a questionnaire that was administered to a convenience sample of students from the University of Indonesia. The university is located in the urban area of Java Island, which is the most populous island in the world. A self-administered online survey was developed and sent to the students, who were invited to complete the questionnaire by email. The research protocol was approved by the Faculty of Dentistry University of Indonesia Ethical Committee prior to data collection (Approval No. 111).

The 29 items of the HeLD scale are designed to assess components of oral health literacy⁶. The HeLD was modified from the HeLMS to create a scale relevant to dental health; the instrument was originally written in English⁸. It was back-translated into Indonesian version. The HeLD consists of the following 7 domains: receptivity, understanding, support, economic barriers, access, communication and utilization (Fig. 1). The 29 questions that constituted the HeLD focused on the 'Difficulty experienced'. The response options for the respondents were graded on a 5-point likert-type scale ranging from 'Without any difficulty to unable to do'. Scores were coded 0-4 and the possible final score range⁶ was 0-116. Higher scores indicate greater oral health literacy.

Cronbach's alpha and Corrected Item Total Correlations (CITCs) were used to assess the internal consistency of the instrument. Alpha, if deleted, was used for optimal subscale assessment and was determined for each item as a measure of overall item consistency. A Cronbach's alpha coefficient of 0.70 or higher is considered satisfactory level of reliability for research instruments. A CITC value lower than 0.30 is recommended as the threshold for removing an item⁶.

Associations between the seven components of the HeLD scale were measured using Pearson correlations. Factors influencing oral health literacy in this study were gender, field of study and year of study at the university. Statistically significant differences in scale scores with relevant oral health literacy-related factors would offer evidence of the

<p>1st Domain: Receptivity</p> <p>R1. ApakahAndamemilikikemampuanuntukmengelolakesehatangigiataukesehatanmulutAnda?</p> <p>R2. ApakahAndamampumemperhatikankebutuhkesehatangigiataukesehatanmulutAnda?</p> <p>R3. ApakahAndamampumeluangkanwaktuuntukhal-halbaikbagikesehatangigiataukesehatanmulutAnda?</p> <p>R4. ApakahAndamampumengubahgayahidupAndauntukmeningkatkankesehatangigiataukesehatanmulutAnda?</p> <p>R5. ApakahAndamampumenemukaninformasikesehatangigidalambahasa yang Andamengerti?</p>
<p>2nd Domain: Understanding</p> <p>U1. ApakahAndamampumengisiformulirgigimisalnyaformulirpendaftaran?</p> <p>U2. ApakahAndamampumembacainformasitertulismisalnyaasebaran yangdiberikankepadaAndaolehdoktergigiAnda?</p> <p>U3. ApakahAndamampumembacabrosurmengenainformasikesehatangigiataukesehatanmulut yang ada di klinikgigidanruangtunggu?</p>
<p>3rd Domain: Support</p> <p>S1. ApakahAndamampumengajakkeluargaatautemanuntukmenemaniAndakedoktergigi?</p> <p>S2. ApakahAndamampumemintaseseoranguntukmenemaniAndakedoktergigi?</p> <p>S3. ApakahAndamampubertanyakepadakeluargaatauteman-temanuntukmembantumemahamiinformasikesehatangigiataukesehatanmulut?</p>
<p>4th Domain: Economic Barriers</p> <p>E1. ApakahAndamampumembayarseorangdoktergigi?</p> <p>E2. ApakahAndamampumembayartransportasikeklinikk gigi?</p> <p>E3. ApakahAndamampumembayarobatuntukmengelolakesehatangigiataukesehatanmulutAnda?</p>
<p>5th Domain: Access</p> <p>A1. ApakahAndamengetahuidimanaseorangdoktergigidapatdihubungi?</p> <p>A2. ApakahAndamengetahuibagaimanamendapatkanjanjidedandoktergigi?</p> <p>A3. ApakahAndamengetahuiapa yang harusdilakukanuntukmendapatkanjanjidedandoktergigi?</p> <p>A4. ApakahAndamengetahuidimanaAndadapatmelihatseorangdoktergigi?</p>
<p>6th Domain: Communication</p> <p>C1. ApakahAndamampubertanyakepadaseorangdoktergigiuntukmembantuAndamemahamiinformasimengenaigigi?</p> <p>C2. ApakahAndamampumendapatkaninformasiyangAndabutuhkanketikabertemuseorangdoktergigi?</p> <p>C3. ApakahAndamampumenindaklanjitudengandoktergigiuntukmemahamiinformasimengenaikesehatangigiAnda?</p> <p>C4. ApakahAndamampuberalihkedoktergigi lain untukmendapatkanperawatangigi yang lebihbaik?</p> <p>C5. ApakahAndamampumendapatkanpendapat lain mengenaikesehatangigiAndadariseorangtenagakesehatangigiprofesional?</p> <p>C6. ApakahAndamampumencaripendapat lain mengenaikesehatangigiAndadariseorangtenagakesehatangigiprofesional?</p> <p>C7. ApakahAndamampumenggunakaninformasidariseorangdoktergigiuntukmembuatkeputusanmengenaikesehatangigiAnda?</p>
<p>7th Domain: Utilization</p> <p>X1. ApakahAndamampumendiskusikankesehatangigiataukesehatanmulutAndadengan orang-orang selaindoktergigi?</p> <p>X2. ApakahAndamampumengikutipetunjukyangdoktergigiberikankepadaAnda?</p> <p>X3. ApakahAndamampumelaksanakanpetunjukyangdoktergigiberikankepadaAnda?</p> <p>X4. ApakahAndamampumenggunakan nasihatdariseorangdoktergigiuntukmembuatkeputusanmengenaikesehatangigiAnda?</p>

Fig. 1: Twenty nine items Indonesian version of Health Literacy in Dentistry (HeLD) instrument comprising of 7 domains

instrument's ability to discriminate between groups. All data were analyzed using SPSS for Windows v19.

RESULTS

An Indonesian version of the HeLD was developed (Fig. 1). The response rate was 95%, with 381 undergraduate students of the University of Indonesia completed the questionnaire. Oral health literacy was significantly higher among female students, those studying a health-related field (e.g., Faculty of Medicine, Dentistry, Pharmacy, Public Health, or Nursing) and those in later years of study at the university (Table 1). Moreover, Table 2 presents the following findings for the 29 items of the HeLD instrument: mean item scores, Cronbach's alpha for subscales if an item was removed and

CITCs. Internal reliability measured by Cronbach's alpha showed a high relatedness of all items with the overall mean HeLD score, indicating that consistency could not be improved by deleting any items. The overall Cronbach's alpha of the Indonesian version of the HeLD questionnaire was 0.94. The Cronbach's alpha coefficients of each domain were above 0.70, which is considered satisfactory. No CITC value was lower than 0.30, which allowed all items to be included in the instrument.

The highest mean scores were in the understanding domain (3.48 ± 0.12) and the lowest mean scores were in the receptivity domain (3.06 ± 0.16). The domains ranked from highest to lowest mean scores were as follows: understanding health information (HeLD R1-R5), accessing dental healthcare services (HeLD U1-U3), socioeconomic considerations

Table 1: Participant characteristics and oral health literacy based on gender, field and year of study

Variables	N	%	Oral health literacy	
			Mean	SD
Gender				
Male	86	22.6	3.06	0.58
Female	295	77.4	3.30	0.55
p-value				p<0.05
Field of study				
Health-related	194	50.9	3.43	0.46
Not health-related	187	49.1	3.05	0.60
p-value				p<0.05
Years of study at the University				
<2 years	171	44.9	3.15	0.59
>2 years	210	55.1	3.32	0.54
p-value				p<0.05
Total	381	100	3.22	0.15

SD: Standard deviation

Table 2: Item characteristics and reliability analysis

HeLD subscale and items	Mean	SD	Reliability		Cronbach's alpha
			Alpha if deleted*	CITC**	
Receptivity	3.06	0.16			0.84
HeLD R1			0.80	0.66	
HeLD R2			0.78	0.75	
HeLD R3			0.78	0.73	
HeLD R4			0.81	0.63	
HeLD R5			0.85	0.48	
Understanding	3.48	0.12			0.74
HeLD U1			0.76	0.49	
HeLD U2			0.60	0.61	
HeLD U3			0.61	0.62	
Support	3.14	0.07			0.81
HeLD S1			0.68	0.71	
HeLD S2			0.70	0.71	
HeLD S3			0.83	0.57	
Economic barriers	3.33	0.28			0.87
HeLD E1			0.75	0.82	
HeLD E2			0.90	0.68	
HeLD E3			0.73	0.82	
Access	3.33	0.27			0.88
HeLD A1			0.84	0.73	
HeLD A2			0.79	0.85	
HeLD A3			0.81	0.83	
HeLD A4			0.90	0.64	
Communication	3.13	0.32			0.85
HeLD C1			0.83	0.56	
HeLD C2			0.82	0.64	
HeLD C3			0.82	0.67	
HeLD C4			0.84	0.50	
HeLD C5			0.82	0.65	
HeLD C6			0.81	0.68	
HeLD C7			0.83	0.60	
Utilization	3.26	0.29			0.80
HeLD X1			0.88	0.45	
HeLD X2			0.70	0.74	
HeLD X3			0.71	0.72	
HeLD X4			0.72	0.69	

*Cronbach's alpha for sub-scales if an item was removed, **CITC: Corrected item-total correlation

(HeLD E1-E3), being proactive and using health information with health professionals (HeLD C1-C7) and patient attitudes (HeLD X1-X4), social support (HeLD S1-S3), communication toward health. The correlations between each latent variable

Table 3: Associations (Spearman's correlations) between the seven domains of the HeLD scale

Components	1	2	3	4	5	6	7
Receptivity	-						
Understanding	0.516	-					
Support	0.467	0.411	-				
Economic barriers	0.295	0.294	0.311	-			
Access	0.397	0.335	0.405	0.526	-		
Communication	0.597	0.467	0.524	0.465	0.567	-	
Utilization	0.573	0.493	0.474	0.359	0.437	0.632	-

Correlations were all significant at the $p < 0.01$ level

are shown in Table 3. Item subscale correlations ranged from 0.3-0.6, indicating the multidimensionality of the scale. Correlations were all significant at the $p < 0.01$ level.

DISCUSSION

Persistent inequality of oral health in Indonesia has been reported^{3,8,9}. Dental public health improvements remain a fundamental need in Indonesia¹⁰. Strategies to reduce oral health inequalities are not possible without improving other influential factors, including public oral health literacy, oral health service providers and policy makers¹¹. Previous findings confirm that the majority of tools are heavily biased toward word recognition, numeracy and reading skills. Those tools do not cover aspects such as health behaviors or service utilization¹. More recent developments have attempted to include other important factors, such as decision-making and service navigation. The HeLD is one of such instrument, making the HeLD an appropriate instrument to assess oral health literacy in Indonesia.

This study included undergraduate students from a public university in Indonesia. The students come from many parts of Indonesia and represent the various tribes of Indonesia. Moreover, this convenient sample was also chosen to increase the visibility of an online questionnaire. Indonesia has a fast growing netizen, which makes online subjective assessments feasible in the near future. A shorter version of the HeLD has been developed, which could make the instrument easier and more efficient to use in research and clinical settings⁵. The shorter version may also increase the potential to expedite an oral health literacy assessment in Indonesia. The results will lead to interventions to increase oral health literacy and thus lead to better oral health among citizens. Nonetheless, further studies should be conducted to explore the use of the instrument in other Indonesian settings.

Although, this is the first study to evaluate oral health literacy in Indonesia, the results may have limited

generalizability. Furthermore, the questionnaire may not be representative of all undergraduate students in Indonesia, as only one university was included. Nonetheless, a previous study has shown that the perceptions of undergraduate students are worthy of analysis¹². Despite the high proportion of females in our sample, which may overemphasize their oral health literacy, women tend to use dental care more than males. Women also tend to be more concerned about their health and aesthetic qualities than men⁹. The tendency of greater oral health literacy and higher educational attainment among females has been previously reported¹³. Individuals with higher educational attainment most likely have higher socio-economic status and are likely better informed about dental health options¹⁴. They may also choose to undergo regular dental check-ups that result in greater use of dental care than individuals with lower levels of education¹⁵. Therefore, the results of this study are consistent with previous studies that have found parallels between education and dental health service use⁹.

Health literacy is an emerging focus of public health research and has been found to be an important predictor of health outcomes¹⁶⁻¹⁹. To date, no health literacy instruments exist in Indonesia, the world's 4th most populous country. The association between health and oral health literacy was not possible to consider. This association is needed to evaluate the convergent validity of the theoretical constructs of two related instruments and to evaluate the predictive validity, which is the extent to which an instrument predicts scores on some related criterion²⁰. In addition, the information was collected from a convenience sample of undergraduate students from a university in Indonesia and these students are likely to have higher oral health literacy than the general population. Nonetheless, screening for oral health literacy in any communities are essential²¹⁻²⁵. To increase the validity of the Indonesian HeLD instrument, general population samples are necessary for future research. Assessments of the associations between oral health literacy and oral health outcomes are also needed. In addition, further work is needed to develop tools that are adaptive and culturally acceptable for specific populations. The tools should be sensitive to measuring changes in literacy levels resulting from any interventions. Not with standing the limitations of this study, the undergraduate students at the University of Indonesia appear to have relatively high oral health literacy. Moreover, the Indonesian version of the HeLD has the potential to be a reliable and valid oral health literacy

instrument for use in the general population in Indonesia. Future studies should complement its psychometric testing and extend its application to other samples as well as public health programs.

ACKNOWLEDGMENT

This study was supported by the Indonesian Ministry of Higher Education.

REFERENCES

1. Dickson-Swift, V., A. Kenny, J. Farmer, M. Gussy and S. Larkins, 2014. Measuring oral health literacy: A scoping review of existing tools. *BMC Oral Health*, Vol. 14. 10.1186/1472-6831-14-148
2. Petersen, P.E., D. Bourgeois, H. Ogawa, S. Estupinan-Day and C. Ndiaye, 2005. The global burden of oral diseases and risks to oral health. *Bull. WHO*, 83: 661-669.
3. Maharani, D.A. and A. Rahardjo, 2012. Is the utilisation of dental care based on need or socioeconomic status? A study of dental care in Indonesia from 1999 to 2009. *Int. Dent. J.*, 62: 90-94.
4. Nutbeam, D., 2008. The evolving concept of health literacy. *Soc. Sci. Med.*, 67: 2072-2078.
5. Jones, K., D. Brennan, E. Parker and L. Jamieson, 2015. Development of a short-form Health Literacy Dental Scale (HeLD-14). *Commun. Dent. Oral Epidemiol.*, 43: 143-151.
6. Jones, K., E. Parker, H. Mills, D. Brennan and L.M. Jamieson, 2014. Development and psychometric validation of a Health Literacy in Dentistry scale (HeLD). *Commun. Dent. Health*, 31: 37-43.
7. Maharani, D.A., 2009. Inequity in dental care utilization in the Indonesian population with a self-assessed need for dental treatment. *Tohoku J. Exp. Med.*, 218: 229-239.
8. Jordan, J.E., R. Buchbinder, A.M. Briggs, G.R. Elsworth, L. Busija, R. Batterham and R.H. Osborne, 2013. The Health Literacy Management Scale (HeLMS): A measure of an individual's capacity to seek, understand and use health information within the healthcare setting. *Patient Educ. Counsel.*, 91: 228-235.
9. Maharani, D.A., 2009. Perceived need for and utilization of dental care in Indonesia in 2006 and 2007: A secondary analysis. *J. Oral. Sci.*, 51: 545-550.
10. Rahardjo, A., D.A. Maharani, B. Kiswanjaya, E. Idrus, J. Nicholson, P.J. Cunningham and F. Schafer, 2015. Measurement of tooth brushing frequency, time of day and duration of adults and children in Jakarta, Indonesia. *J. Dentistry Indonesia*, 21: 87-90.
11. Horowitz, A.M. and D.V. Kleinman, 2012. Oral health literacy: A pathway to reducing oral health disparities in Maryland. *J. Public Health Dent.*, 72: S26-S30.
12. Ariani, N., S. Mursid, R.W. Odang, C. Sukotjo and L.S. Kusdhany, 2013. Indonesian undergraduate dental students' perceptions toward implant treatment and education. *J. Invest. Clin. Dent.*, 4: 107-112.
13. Khan, K., B. Ruby, R.S. Goldblatt, J.J. Schensul and S. Reisine, 2014. A pilot study to assess oral health literacy by comparing a word recognition and comprehension tool. *BMC Oral Health*, Vol. 14. 10.1186/1472-6831-14-135
14. Paulander, J., P. Axelsson and J. Lindhe, 2003. Association between level of education and oral health status in 35-, 50-, 65- and 75-year-olds. *J. Clin. Periodontol.*, 30: 697-704.
15. Fisher-Owens, S.A., J.C. Barker, S. Adams, L.H. Chung, S.A. Gansky, S. Hyde and J.A. Weintraub, 2008. Giving policy some teeth: Routes to reducing disparities in oral health. *Health Affairs*, 27: 404-412.
16. Nutbeam, D., 2000. Health literacy as a public health goal: A challenge for contemporary health education and communication strategies into the 21st century. *Health Promot. Int.*, 15: 259-267.
17. Ratzan, S.C., 2001. Health literacy: Communication for the public good. *Health Promot. Int.*, 16: 207-214.
18. Batterham, R.W., R. Buchbinder, A. Beauchamp, S. Dodson, G.R. Elsworth and R.H. Osborne, 2014. The optimising health literacy (Ophelia) process: Study protocol for using health literacy profiling and community engagement to create and implement health reform. *BMC Public Health*, Vol. 14. 10.1186/1471-2458-14-694
19. Safeer, R.S. and J. Keenan, 2005. Health literacy: The gap between physicians and patients. *Am. Family Physician*, 72: 463-468.
20. Babbie, E.R., 2013. *The Practice of Social Research*. 13th Edn., Wadsworth, Belmont, CA.
21. Atchison, K.A., M.W. Girona, D. Messadi and C. Der-Martirosian, 2010. Screening for oral health literacy in an urban dental clinic. *J. Public Health Dent.*, 70: 269-275.
22. Jones, M., J.Y. Lee and R.G. Rozier, 2007. Oral health literacy among adult patients seeking dental care. *J. Am. Dent. Assoc.*, 138: 1199-1208.
23. Cho, Y.I., S.Y.D. Lee, A.M. Arozullah and K.S. Crittenden, 2008. Effects of health literacy on health status and health service utilization amongst the elderly. *Soc. Sci. Med.*, 66: 1809-1816.
24. Blizniuk, A., M. Ueno, S. Furukawa and Y. Kawaguchi, 2014. Evaluation of a Russian version of the Oral Health Literacy Instrument (OHLI). *BMC Oral Health*, Vol. 14. 10.1186/1472-6831-14-141
25. Ueno, M., A. Takayama, M. Adiatman, M. Ohnuki, T. Zaitso and Y. Kawaguchi, 2014. Application of visual oral health literacy instrument in health education for senior high school students. *Int. J. Health Promot. Educ.*, 52: 38-46.