

## Protection Roles of *Gleditshia Caspica Dsf.* on Slopes in Iran

<sup>1</sup>G.H. Bibalani and <sup>2</sup>B. Majnounian

<sup>1</sup>Islamic Azad University, Shabestar Branch, Shabestar, E. Azarbayjan-5381637181, Iran

<sup>2</sup>Faculty of Natural Resources, University of Tehran, P.O. Box 31585-3314, Karaj, Iran

**Abstract:** Slope instability due to landslides is particularly common in N Iran. It is possible to fight against these hazards thanks to the roots of scrubs, which provide an important contribution towards the stability of hillslopes. However, knowledge on the effectiveness of roots for slope stability needs improvement. Therefore, a study has been carried out on the effect of roots on slope stability, in particular for *Gleditshia* sp. The study area was located in Roudsar Township, in Gilan Province of N Iran. Some parts of this area cover with *Gleditshia* sp. forest tree. Soil samples with and without roots of the mentioned specie were taken, on an area of approximately 30 ha large, for testing in the laboratory. Soil shear tests were carried out on these samples and the Factor of Safety (FS) was calculated. Results showed that the FS was increased in soils with roots present. The global slope FS was then determined using Bishop's method. We calculated FS in order to protect slopes where the gradient exceeds 25%. In this case study, minimum FS which corresponds to *Gleditshia* sp. vegetation with greater than 60% crown cover, a soil internal friction angle of 15° and a slope angle of 18°. When soil internal friction angle equals 19° and slope angle is more than 23°, slope stability can not be increased by *Gleditshia* sp. species.

**Key words:** Root reinforcement, gilán, landslide, factor of safety, soil internal friction angle

### INTRODUCTION

It is well understood that vegetation influences slope stability mechanical effects. The shear strength of the soil is increased through the mechanical effects of the plant root matrix system. The density of the roots within the soil mass and the root tensile strength contribute to the ability of the soils to resist shear stress. The effects of soil suction and root reinforcement has been quantified as an increase in apparent soil cohesion. This study investigates the effects of vegetation on the stability of slopes using the finite element method. Parametric studies were performed to assess the sensitivity of the stability of a slope to the variation in the key vegetation and soil parameters. Results show that vegetation plays an important role in stabilizing shallow-seated failure of slopes and significantly affects stability.

Slope instability is one of the major problems in geotechnical engineering where disasters, like loss of property, do occur. A natural slope is different from an embankment or a man-made slope in that the effects of vegetation and soil variability play an important role in their stability (Griffiths and Lane, 1999). Due to the increase population over recent years, the exploitation of renewable natural resources has increased dramatically. One of the effects of consequences has been the

destruction of some of forests and this has been particularly noticeable over the last ten years. Natural disasters, such as floods, droughts and sea levels rise have also had an effect on the life condition of many people (Wu, 1984). In particular, Iran has a long history of landslides, which have caused a major loss of life along with damage to infrastructure and agricultural lands (Bibalani, 1996). It has been impossible to recover some of the damages caused by landslides and where it has been possible, it has been at a high financial cost.

The effects of vegetation on the stability of slopes are well recognized. Vegetation affects slope stability through modification of the internal fraction of soil, which in turn causes a variation in soil stability. Vegetation can enhance the stability of a slope by root reinforcement. Wu *et al.* (1979) investigated the stability of slopes before and after removal of vegetation cover and concluded that the shear strength contributed by roots is important to the stability of slopes. The study indicated that vegetation could contribute shear strength to the slopes through root reinforcement. Wu *et al.* (1979) showed that slope failure would have occurred if the effects of vegetation were not taken into account in slope stability analyses. The main reason for the high number of landslides in Iran is a result of a particular combination of geology, topography and climate. Furthermore, the cause of

landslides may be due to geomorphologic phenomena combined with other factors such as climate changes, vegetation cover, geology and the tectonic situation. Gilan Province in the North of Iran is particularly susceptible to landslides, Because of the special topographical and geological conditions in this Province, it may be possible to prevent landslides with relatively little expense and labour (Bibalani, 2003). Therefore, research about strategies for stability in this region would be of particular interest to local stakeholders and farmers.

Vegetation has long been considered to improve slope stability (Bibalani, 1996; Bibalani *et al.*, 2006; Bibalani and Majnonian, 2007). In particular, the roots of vegetation provide an important contribution towards the stability of hill slopes. In the soil, they act very similarly to steel fibers in reinforced concrete and provide resistance to shear and tensile forces induced in the soil. In addition, the roots also absorb water from the soil, this reducing moisture content, therefore, helping to increase the stability of the slope. Therefore, the root influence of vegetation on the soil reinforcement of slopes can be studied using different methods. Measurements of soil shear strength provide an indicator of the contribution of roots to slope stability, when combined with calculations of the slope's Factor of Safety (FS). The formula used to calculate the FS of the critical landslide surface has been defined by Watson (1995):

$$\text{Safety Factor (FS)} = \frac{\text{Soil shear resistance}}{\text{Soil shear stress}} \quad (1)$$

This study investigates the effects of vegetation on the stability of slopes using the Bishop method. To limit the scope of this study, only the effects of root reinforcement are incorporated in the slope stability analysis. The variability in the vegetation are considered for <20, 20-40, 40-60 and >60% canopy cover for *Gleditsia* sp. and soil properties are not considered in this paper. Six homogenous slopes with angle of inclination 15, 18, 21, 23, 27, 30 and 33 degree were used to investigate the effects of vegetation on slope stability.

The ability of plant roots to strengthen a soil mass is well known. The inclusion of plant roots with high tensile strength increases the confining stress in the soil mass by its closely spaced root matrix system. The soil mass is bound together by the plant roots and the shear strength is increased by this effect. The contribution of root reinforcement to shear strength is considered to have the characteristics of angle of internal friction (Wu *et al.*, 1979). Wu *et al.* (1979) proposed a simplified perpendicular root model to quantify the increased shear strength of soil due to root reinforcement.

Wu *et al.* (1979) incorporated the effects of vegetation in slope stability analysis by using conventional limit equilibrium method. The shear strength of the soil along a potential slip surface is assumed to be fully mobilized at the point of failure.

Wu *et al.* (1979) incorporated the apparent root tensile in their slope analysis and found an increase in the Factor of Safety (FS) for slopes. The results indicated that roots improved the stability of slopes.

The main contributory factors which affect slopes stability are Angle of slope, Angle of internal friction, Percentage of vegetation covers (by effect with roots) (Watson, 1995).

Other factors may also play a part in the slope stability and these are soil moisture content, weight of soil mass and vegetation cover, internal adhesion of soil particles, wind loading on the soils and vegetation, location of any underground water table, earthquake and tectonic forces. These factors have not been considered in this study.

As Iran has a long history of landslides, our research deals with the effect of scrubs on slope stability, in particular, the economic interest such as *Gleditsia*. The study was carried out in Roudsar Township in Gilan Province of Iran. In this area of 30 ha were considered suitable for the purposes of this study.

## MATERIALS AND METHODS

The experimental site was situated in SE Roudsar, Iran with latitude 36°58'N, longitude 50°21'E, altitude about 100 m on a north-facing slope. It is a part of the Rahimabad District of Roudsar Township (Fig. 1). The site was characterized by a silt clay soil (Bibalani, 2003).

The mean annual precipitation is about 1700 mm. A rainy season starts normally in early September and ends in the end of May (Fig. 2). The field tests were carried out from June to August 1998- 2001.

Trial pits with 90 cm diameter and about 150 cm depth was excavated on different slope (15, 18, 23, 27, 30 and 33 degrees) where no landslides had occurred. This area has been chosen in order to quantify the contribution of vegetation to soil reinforcement. The numbers of roots, with diameters of 10, 8 and 4 mm ranges were counted. Random soil samples with 20 cm diameter were taken from 30 ha outside of landslide area on which laboratory tests were carried out to determine certain mechanical characteristics. Triaxial tests were carried out soil samples without root in the laboratory. Pore pressure was distinguished with triaxial tests on soil samples. Shear tests were carried out without root in soil laboratory. The




Fig. 1: The geographical position of Gilan Province in Iran




Fig. 2: Average monthly precipitation of study area

following equation is used to determine the increase in shear strength of soils ( $\Delta SR$ ) containing plant roots (Bibalani, 2003):

$$\Delta SR = 1.15TR \frac{AR}{A} \quad (2)$$

Where:

TR = Tensile resistance (MPa) of the root was measured with root tensile test,

AR = Total surface area (cm<sup>2</sup>) of roots in A,

A = Soil surface (m<sup>2</sup>),

And 1.15 in this equation is a coefficient.

Slope stability was calculated using the Bishop method of analysis (Behniya, 1993). Mean automatic procedure was developed for calculation purposes (Bibalani *et al.*, 2005). The FS is calculated from:

$$FS = \frac{L}{\sum w \cdot \sin \alpha} \cdot \sum [ \{ c \cdot b + (w - u \cdot b) \tan \phi \} \cdot \left\{ \frac{\sec \alpha}{\tan \alpha \cdot \tan \phi} \right\} ] \cdot \frac{1}{FS} \quad (3)$$

Where:

FS = Safety factor,

$\alpha$  = Angle of slope (°),

w = Weight of soil on the slope (N),

c = Cohesion of soil (KN/m<sup>2</sup>),

L = Length of slope (m),

u = Pore pressure (KN m<sup>-2</sup>),

b = Width of area (m),

$\phi$  = Angle of internal friction (°)

The FS model was run to determine the influence of different species on slope stability and soil reinforcement with two  $\phi$  (with and without roots).

On the basis of amount  $\Delta SR$ , it is possible to calculate the angle of internal friction of soil ( $\phi_2$ ) and Safety Factor (FS) without (FS<sub>1</sub>) or with (FS<sub>2</sub>) plant roots.

From  $\Delta SR$  (additional soil resistance with roots) can be calculating angle of internal friction with roots in soil ( $\phi_2$ ) with: (Behniya, 1993):

$$\tan \phi_2 = \frac{SR + \Delta SR - c}{h \cdot b \cdot l \cdot \text{dan}} \quad (4)$$

Where:

SR = Soil resistance

$\Delta SR$  = Additional soil resistance with roots

h = Depth of soil (m),

Table 1: Soil sample properties in different slopes and areas (for example)

slope	b	u	$\phi_1$	c	$\alpha$	L	h	dan	FS <sub>1</sub>	DIA	n	TR	$\phi_2$	FS <sub>2</sub>	AR/A
1	15	0.3	22.9	0.2	20.2	15	3.5	1.55	1.3	0.8	32	55.8	25.7	1.5	0.1
										0.4	39	59.1			
										1	-	35.0			
										0.8	15	26.2			
2	12	0.4	23.8	0.3	24.8	15	2	1.88	1.9	0.4	24	24.8	28.6	1.4	0.11
										1	-	24.8			

b = width (m), u = pore pressure (KN m<sup>-2</sup>),  $\phi_1$  = angle of internal friction without vegetation (°), c = cohesion of soil (KN m<sup>-2</sup>),  $\alpha$  = angle of surface (°), L = length of slope (m), h = depth of soil (m), dan = density of soil, FS<sub>1</sub> = Safety factor without vegetation, DIA = Diameter of roots (cm), n = number of roots per m<sup>2</sup>, TR = tensile resistance of the root was measured with root tensile test (MPa),  $\phi_2$  = angle of internal friction with vegetation (°), FS<sub>2</sub> = Safety factor with vegetation, AR/A = relation between total surface area (cm<sup>2</sup>) of roots and soil surface (m<sup>2</sup>)

Table 2: Stability of slopes with attention to the angle of internal friction of the soil, angle of the slope and vegetation covers percentage

$\phi$	15	18	21	23	27	30	33
15	20-40%	>60%	U.st	U.st	U.st	U.st	U.st
16	St	20-40%	U.st	U.st	U.st	U.st	U.st
17	St	St	U.st	U.st	U.st	U.st	U.st
18	St	St	>60%	U.st	U.st	U.st	U.st
19	St	St	40-60%	U.st	U.st	U.st	U.st
20	St	St	20-40%	40-60%	U.st	U.st	U.st
21	St	St	20-40%	40-60%	U.st	U.st	U.st
22	St	St	St	20-40%	U.st	U.st	U.st

$\phi$  = angle of internal friction of soil 15-26°, Sp. = species of vegetation,  $\alpha$  = angle of slope (such as 15, 18, 21, 23, 27, 30 and 33°), St = Stable and U.st = unstable with any vegetation

- b = Width of area (m),
- l = Length of slope (m),
- dan = Density of soil (kg m<sup>-3</sup>).
- c = Soil cohesion.

## RESULTS AND DISCUSSION

FS<sub>1</sub> (safety factor without vegetation) was calculated with soil properties (u,  $\phi_1$ , c and dan.) and area characteristic (b,  $\alpha$ , l and h) with Eq. 1 and additional soil resistance with roots ( $\Delta$ SR) was calculated with Eq. 2, then angle of internal friction without vegetation ( $\phi_2$ ) was calculated. FS<sub>2</sub> (safety factor with vegetation) was calculated with soil properties (u,  $\phi_2$ , c and dan.) and area characteristic (b,  $\alpha$ , l and h) with Eq. 1 (Table 1).

Finally, the least ground cover of *Gleditshia* sp. vegetation that could stabilize soil on slope with different amount of angle of internal friction ( $\phi$ ) and different angle of slope was shown in Table 2.

This study has revealed and quantified effect of *Gleditshia* sp. in the N Iran, a phenomenon by means of which the vegetation stabilizes the slopes in the Roudsar.

Although, there are several factors which may affect slope stability and lead to small and shallow landslides in the study area, the main factor is the removal of the natural forest cover of the slopes to create garden. In order to increase the FS of slopes in this area with gradients more than 25% the least FS with attention to the angle of internal friction of soils ( $\phi$ ), the gradient of the slope ( $\alpha$ ) and for different vegetation cover is given for stabilizing slopes.

This study carried out to determine which crown cover of *Gleditshia* sp. provided the best reinforcement to slopes in Gilan Province. Soil shear tests were carried out on samples with and without roots of *Gleditshia* sp. and the slope FS calculated. Results are discussed with regards to practical implications in this area.

In this case study, minimum FS which corresponds to *Gleditshia* sp. vegetation with greater than 60% crown cover, a soil internal friction angle of 15° and a slope angle of 18°. When soil internal friction angle equals 19° and slope angle is more than 23°, slope stability can not be increased by *Gleditshia* sp. vegetation species.

## CONCLUSION

However, the contribution of plant roots to soil shear still needs much research and much work also needs to be carried out on the suitability of different species for stabilizing slopes.

The studies undertaken to elucidate the effects of *Gleditshia* sp. Roots on soil slope stability. *Gleditshia* sp. dose not suitable when increase slope angle. It is likely that mature *Gleditshia* sp. would provide good root anchorage on slopes.

It is important to appreciate that the significance of mechanical stabilizations of slopes by vegetation roots depends slip surfaces, the likely failure mode and the steepness of the slope. As a consequence, it is essential to identify the specific slope conditions and relate these to the properties of the particular plant species.

It is a pioneer study and the results have given estimations effect of the root of this vegetation for the first time in Iran. The findings and methodology of the study may be applied in other areas and to other plants.

#### REFERENCES

- Bahniya, K., 1993. Soil Mechanic. Tehran University Publication, Iran, 2: 200-253.
- Bibalani, G.H., 1996. Reserch of Protection and Support from Forest of Rahimabad and Eshkevarat, Gilan Provinces of Iran. M. Sc. Thesis, Islamic Azad University, Science and Research Branch of Tehran, pp: 180.
- Bibalani, G.H., 2003. Keeping and Protection Role of Forest and Unforest Species of Trees on Slopes. J. Agric. Sci. Islamic Azad University, Science and Research Branch of Tehran, Iran, 4: 81-94.
- Bibalani, G.H., A.A. Golshani and K.A. Najafian, 2006. The Traction Effect of Lateral Roots of Gavan (*Astragalus Raddei*) on Soil Reinforcement in Northwest Iran (Rangelands of the Shanjan Area of Shabestar). Can. J. Soil Sci., 86: 493-499.
- Bibalani, G.H. and B. Majnonian, 2007. Protection roles of Tea scrubs (*Thea sinensis* L.) on slopes in Iran. Research Journal of environmental Sciences, in Press.
- Bibalani, G.H., B. Majnonian, E. Adli and H. Sanii, 2005. Slope Stabilization with *Gleditshia Caspica* and *Parrotia Persica* in Iran. Int. J. Environ. Sci. Tech., 2: 381-385.
- Griffiths, D.V. and P.A. Lane, 1999. Slope Stability Analysis by Finite Elements. *Géotechnique*, 49: 387-403.
- Watson, A., 1995. Tree Species Performance and Slope Stability. In *vegetation and Slopes.*, Barker D H. Thomas Telford Press, London, pp: 161-171.
- Wu, T.H., 1984. Effect of Vegetation on Slope Stability. In *Soil Reinforcement and Moisture Effects on Stability*. Transportation research record 965, transportation research board, Washington, USA., pp: 37-46.
- Wu, T.H., W.P. McKinnell, III and D.N. Swanston, 1979. Strength of Tree Roots and Landslides on Prince of Wales Island, Alaska. *Can. Geotech. J.*, 114: 19-33.