

## Determination of Maximum Number of Layers of Solar Collector for Fish Solar Dryer

Oni Taiwo Oluwasesan

Department of Mechanical Engineering, Faculty of Engineering,  
University of Ado-Ekiti, P.M.B. 5363, Ado-Ekiti, Nigeria

**Abstract:** This study presents experimental determination of maximum number of layers of solar collector for fish solar dryer. To investigate into this, four geometrically similar boxes each with an internal volume of  $0.07 \text{ m}^3$  (i.e.,  $0.6 \times 0.4 \times 0.2 \text{ m}$ ) were constructed and named Dryer 1, 2, 3 and 4. Dryer 1, 2, 3 and 4 has one layer of solar collector, two layers of solar collector, three layers of solar collectors and four layers of solar collector, respectively. Each of the solar collectors has a thickness of 0.5 mm. Each of the dryers was loaded with 0.4 kg of fish with temperature between 27 and  $31^\circ\text{C}$ , the ambient temperature being between 20 and  $25^\circ\text{C}$ . The experiments were conducted between 1000 and 1700 h for 2 days. The results of the experiments revealed that the fish temperature in Dryer 1, 2, 3 and 4 rose to 47, 52, 46 and  $44^\circ\text{C}$ , respectively. The percent moisture loss of the fish in Dryers 1, 2, 3 and 4 were 33.0, 38.0, 36.5 and 32.5%, respectively. The Dryers 1, 2, 3 and 4 gave a drying rate of 0.014, 0.02, 0.017 and  $0.013 \text{ kg h}^{-1}$ , respectively. Thus, the arrangement of the fish solar dryer in descending order of performance is Dryer 2, 3, 1 and 4. This indicates that a maximum of two layers of solar collector is required for a fish solar dryer to enhance its performance.

**Key words:** Dryer, solar collector, performance, temperature, moisture loss, drying rate

### INTRODUCTION

The need for provision and availability of food to cater for the global population has necessitated the need for preservation of the food to avoid wastage through spoilage. The problem of wastage has been combated in developed countries through the provision of preservation techniques such as canning, refrigeration, chemical preservatives, etc. (Carneige and Pohl, 1978; Bansal *et al.*, 1998). This is not the case in some developing countries where there is no stable and reliable supply of electricity to carry out the preservation techniques. This has left a large portion of population in some developing countries to depend on other alternatives of preservation techniques among which are drying, smoking, salting, cooking and frying.

Fish is a source of protein, vitamins, minerals and calcium, hence its importance to man. Fish is an extremely perishable food. For example, most fish become inedible within 12 h at tropical temperatures. Spoilage begins as soon as the fish dies and processing should therefore, be done quickly to prevent the growth of spoilage bacteria. Fish is a low acid food and is therefore, very susceptible to the growth of food poisoning bacteria. This is another reason why it should be processed quickly (Fellows and Hampton, 1992).

Traditionally, whole small fish or split large fish are spread in the sun on the ground, or on mats, nets, roofs, or on raised racks. The heat of the sun and movement of air remove moisture which causes the fish to dry. Sun-drying does not allow very much control over drying times and it also exposes the fish to attack by insects or vermin and allows contamination by sand and dirt. Such techniques are totally dependent upon the weather conditions. The ideal is dry weather with low humidity and clear skies. Alternatives to sun-drying involve the use of solar or artificial dryers (Fellows and Hampton, 1992).

In solar drying, the sun energy is harnessed for drying of food such as fish. There has been a great deal of research on the development of solar dryers as an improved method of drying fish. This has shown that by achieving increased drying temperatures and reduced humidities, solar dryers can increase drying rates and produce lower moisture content in the final products, with improvements in fish quality compared with the traditional sun-drying techniques (Sayigh, 1988).

Solar energy is generally defined to include energy directly from sunlight and it is the most abundant energy source available to human race. In the case of solar fish dryer, the solar energy of sun is converted into thermal energy (heliothermal process) (Bansal *et al.*, 1998). Man in his search for more knowledge has been harnessing

the solar energy in various ways to improve his living condition (Sayigh, 1988; ILO, 1986). In consideration of possible extinction of non-renewable energy sources such as petrol and diesel, it becomes very imperative that activities should be geared towards the use of energy from sun, a renewable energy source, for drying fish.

Solar drying of fish is cheap and affordable. The effectiveness of a solar dryer that will carry out the drying needs to be optimized. One of the means of achieving this is to increase the number of layers of solar collector for the solar dryers. It is therefore, the scope of this research that a maximum number of layers of solar collector be determined so as not to waste money on increasing the layer of solar collector of the solar dryer to unnecessary number.

**MATERIALS AND METHODS**

Four geometrically similar fish solar dryer were constructed with each having an internal volume of 0.07 m<sup>3</sup> (i.e., 0.6×0.4×0.3 m). Each of the dryers is made of wood painted black outside with its interior lined with aluminum sheet coated with foil of 1.5 mm as given by (ASHRAE Handbook, 1997; Kreider and Kreith, 1981). The space between the wood and the aluminum foil is lagged using sawdust to reduce heat loss by conduction. A pictorial view of the dryer is shown in Fig. 1.




Fig. 1: Pictorial view of the fish solar dryer

The dryers have different layers of solar collector of 5 mm thickness as follows: Dryer 1-layer of solar collector, Dryer 2-layers of solar collector, Dryer 3-layers of solar collector, Dryer 4- four layers of solar collector. The solar collectors collect solar radiation from sun and they are tilted at an angle of 17° for optimum solar collection.

Table 1: Measurement of fish temperature (Day 1)

| Local time, t (h) | Ambt. temp., t <sub>a</sub> /°C | Fish temperature, t <sub>f</sub> (°C) |         |         |         |
|-------------------|---------------------------------|---------------------------------------|---------|---------|---------|
|                   |                                 | Dryer 1                               | Dryer 2 | Dryer 3 | Dryer 4 |
| 10:00             | 23                              | 30                                    | 29      | 29      | 27      |
| 10:30             | 24                              | 31                                    | 30      | 30      | 29      |
| 11:00             | 24                              | 33                                    | 32      | 31      | 31      |
| 11:30             | 22                              | 33                                    | 32      | 31      | 31      |
| 12:00             | 21                              | 32                                    | 35      | 34      | 30      |
| 12:30             | 21                              | 40                                    | 42      | 42      | 38      |
| 13:00             | 20                              | 45                                    | 48      | 46      | 44      |
| 13:30             | 23                              | 45                                    | 45      | 46      | 43      |
| 14:00             | 22                              | 46                                    | 50      | 46      | 43      |
| 14:30             | 25                              | 46                                    | 51      | 46      | 43      |
| 15:00             | 23                              | 47                                    | 52      | 45      | 44      |
| 15:30             | 22                              | 40                                    | 43      | 40      | 37      |
| 16:00             | 25                              | 38                                    | 42      | 40      | 37      |
| 16:30             | 24                              | 38                                    | 41      | 39      | 38      |
| 17:00             | 23                              | 36                                    | 40      | 38      | 36      |

Table 2: Measurement of fish temperature (Day 2)

| Local time, t (h) | Ambt. temp., t <sub>a</sub> /°C | Fish temperature, t <sub>f</sub> (°C) |         |         |         |
|-------------------|---------------------------------|---------------------------------------|---------|---------|---------|
|                   |                                 | Dryer 1                               | Dryer 2 | Dryer 3 | Dryer 4 |
| 10:00             | 22                              | 31                                    | 29      | 29      | 27      |
| 10:30             | 23                              | 31                                    | 30      | 30      | 29      |
| 11:00             | 24                              | 32                                    | 31      | 30      | 31      |
| 11:30             | 22                              | 33                                    | 32      | 31      | 31      |
| 12:00             | 22                              | 31                                    | 34      | 34      | 30      |
| 12:30             | 21                              | 39                                    | 41      | 42      | 38      |
| 13:00             | 20                              | 44                                    | 46      | 46      | 44      |
| 13:30             | 22                              | 45                                    | 46      | 45      | 43      |
| 14:00             | 23                              | 45                                    | 50      | 45      | 43      |
| 14:30             | 24                              | 46                                    | 50      | 45      | 43      |
| 15:00             | 23                              | 46                                    | 52      | 45      | 44      |
| 15:30             | 22                              | 40                                    | 43      | 40      | 37      |
| 16:00             | 24                              | 39                                    | 42      | 40      | 37      |
| 16:30             | 24                              | 38                                    | 41      | 39      | 37      |
| 17:00             | 23                              | 36                                    | 41      | 38      | 37      |

Table 3: Determination of percent moisture loss of fish (Day 1)

| Local time, t (h) | Dryer 1                                  |   | Dryer 2                                  |   | Dryer 3                                  |   | Dryer 4                                  |   |
|-------------------|--|---|--|---|--|---|--|---|
|                   | *Final mass of fish, m <sub>f</sub> (kg) | **Percent moisture loss of fish, m <sub>l</sub> (%) | *Final mass of fish, m <sub>f</sub> (kg) | **Percent moisture loss of fish, m <sub>l</sub> (%) | *Final mass of fish, m <sub>f</sub> (kg) | **Percent moisture loss of fish, m <sub>l</sub> (%) | *Final mass of fish, m <sub>f</sub> (kg) | **Percent moisture loss of fish, m <sub>l</sub> (%) |
| 10:00             | 0.400                                    | 0.000   | 0.400                                    | 0.000   | 0.400                                    | 0.000   | 0.400                                    | 0.000   |
| 10:30             | 0.392                                    | 2.000   | 0.392                                    | 2.000   | 0.393                                    | 1.750   | 0.393                                    | 1.750   |
| 11:00             | 0.392                                    | 2.000   | 0.389                                    | 2.750   | 0.391                                    | 2.250   | 0.393                                    | 1.750   |
| 11:30             | 0.390                                    | 2.500   | 0.386                                    | 3.500   | 0.388                                    | 3.000   | 0.390                                    | 2.500   |
| 12:00             | 0.389                                    | 2.750   | 0.379                                    | 5.250   | 0.387                                    | 3.250   | 0.390                                    | 2.500   |
| 12:30             | 0.370                                    | 7.500   | 0.360                                    | 10.000  | 0.374                                    | 6.500   | 0.375                                    | 6.250   |
| 13:00             | 0.365                                    | 8.750   | 0.342                                    | 14.500  | 0.358                                    | 10.500  | 0.368                                    | 8.000   |
| 13:30             | 0.350                                    | 12.500  | 0.298                                    | 25.500  | 0.300                                    | 25.000  | 0.351                                    | 12.250  |
| 14:00             | 0.341                                    | 14.750  | 0.286                                    | 28.500  | 0.298                                    | 25.500  | 0.343                                    | 14.250  |
| 14:30             | 0.300                                    | 25.000  | 0.265                                    | 33.750  | 0.284                                    | 29.000  | 0.325                                    | 18.750  |
| 15:00             | 0.292                                    | 27.000  | 0.259                                    | 35.250  | 0.270                                    | 32.500  | 0.293                                    | 26.750  |
| 15:30             | 0.286                                    | 28.500  | 0.254                                    | 36.500  | 0.266                                    | 33.500  | 0.278                                    | 30.500  |
| 16:00             | 0.277                                    | 30.750  | 0.252                                    | 37.000  | 0.260                                    | 35.000  | 0.276                                    | 31.000  |
| 16:30             | 0.275                                    | 31.250  | 0.250                                    | 37.500  | 0.256                                    | 36.000  | 0.273                                    | 31.750  |
| 17:00             | 0.268                                    | 33.000  | 0.248                                    | 38.000  | 0.254                                    | 36.500  | 0.270                                    | 32.500  |

\*Initial Mass of Fish, m<sub>i</sub> (kg) = 0.400 kg, \*\*m<sub>l</sub> = (m<sub>i</sub> - m<sub>f</sub>)/m<sub>i</sub> × 100%

**Table 4: Determination of percent moisture loss of fish (Day 2)**

| Local time, t (h) | Dryer 1                         |  | Dryer 2                         |  | Dryer 3                         |  | Dryer 4                         |  |
|-------------------|---------------------------------|--|---------------------------------|--|---------------------------------|--|---------------------------------|--|
|                   | *Final mass of fish, $m_f$ (kg) | **Percent moisture loss of fish, $m_L$ (%) | *Final mass of fish, $m_f$ (kg) | **Percent moisture loss of fish, $m_L$ (%) | *Final mass of fish, $m_f$ (kg) | **Percent moisture loss of fish, $m_L$ (%) | *Final mass of fish, $m_f$ (kg) | **Percent moisture loss of fish, $m_L$ (%) |
| 10:00             | 0.400                           | 0.000                                      | 0.400                           | 0.000                                      | 0.400                           | 0.000                                      | 0.400                           | 0.000                                      |
| 10:30             | 0.392                           | 2.000                                      | 0.392                           | 2.000                                      | 0.393                           | 1.750                                      | 0.393                           | 1.750                                      |
| 11:00             | 0.392                           | 2.000                                      | 0.389                           | 2.750                                      | 0.391                           | 2.250                                      | 0.393                           | 1.750                                      |
| 11:30             | 0.390                           | 2.500                                      | 0.386                           | 3.500                                      | 0.388                           | 3.000                                      | 0.390                           | 2.500                                      |
| 12:00             | 0.389                           | 2.750                                      | 0.379                           | 5.250                                      | 0.387                           | 3.250                                      | 0.390                           | 2.500                                      |
| 12:30             | 0.370                           | 7.500                                      | 0.360                           | 10.000                                     | 0.374                           | 6.500                                      | 0.375                           | 6.250                                      |
| 13:00             | 0.365                           | 8.750                                      | 0.342                           | 14.500                                     | 0.358                           | 10.500                                     | 0.368                           | 8.000                                      |
| 13:30             | 0.350                           | 12.500                                     | 0.298                           | 25.500                                     | 0.300                           | 25.000                                     | 0.351                           | 12.250                                     |
| 14:00             | 0.341                           | 14.750                                     | 0.286                           | 28.500                                     | 0.298                           | 25.500                                     | 0.343                           | 14.250                                     |
| 14:30             | 0.300                           | 25.000                                     | 0.265                           | 33.750                                     | 0.284                           | 29.000                                     | 0.325                           | 18.750                                     |
| 15:00             | 0.292                           | 27.000                                     | 0.259                           | 35.250                                     | 0.270                           | 32.500                                     | 0.293                           | 26.750                                     |
| 15:30             | 0.286                           | 28.500                                     | 0.254                           | 36.500                                     | 0.266                           | 33.500                                     | 0.278                           | 30.500                                     |
| 16:00             | 0.277                           | 30.750                                     | 0.252                           | 37.000                                     | 0.260                           | 35.000                                     | 0.276                           | 31.000                                     |
| 16:30             | 0.275                           | 31.250                                     | 0.250                           | 37.500                                     | 0.256                           | 36.000                                     | 0.273                           | 31.750                                     |
| 17:00             | 0.268                           | 33.000                                     | 0.248                           | 38.000                                     | 0.254                           | 36.500                                     | 0.270                           | 32.500                                     |

\*Initial Mass of Fish,  $m_i$  (kg) = 0.400 kg, \*\* $m_L = (m_i - m_f)/m_i \times 100\%$

**Table 5: Determination of drying rate of fish (Day 1)**

| Local time, t (h) | Dryer 1                         |  |                               |   | Dryer 2                         |  |                               |   |
|-------------------|---------------------------------|--|-------------------------------|---|---------------------------------|--|-------------------------------|---|
|                   | *Final mass of fish, $m_f$ (kg) | **Moisture loss of fish, $\Delta m_f$ (kg) | Duration of drying, $t_d$ (h) | ***Drying rate, $t_r$ (kg h <sup>-1</sup> ) | *Final mass of fish, $m_f$ (kg) | **Moisture loss of fish, $\Delta m_f$ (kg) | Duration of drying, $t_d$ (h) | ***Drying rate, $t_r$ (kg h <sup>-1</sup> ) |
| 10:00             | 0.400                           | 0.000                                      | 0                             | 0.000                                       | 0.400                           | 0.000                                      | 0                             | 0.000                                       |
| 10:30             | 0.392                           | 0.008                                      | 0.5                           | 0.016                                       | 0.392                           | 0.008                                      | 0.5                           | 0.016                                       |
| 11:00             | 0.392                           | 0.008                                      | 1                             | 0.008                                       | 0.389                           | 0.011                                      | 1                             | 0.011                                       |
| 11:30             | 0.390                           | 0.010                                      | 1.5                           | 0.007                                       | 0.386                           | 0.014                                      | 1.5                           | 0.009                                       |
| 12:00             | 0.389                           | 0.011                                      | 2                             | 0.006                                       | 0.379                           | 0.021                                      | 2                             | 0.011                                       |
| 12:30             | 0.370                           | 0.030                                      | 2.5                           | 0.012                                       | 0.360                           | 0.040                                      | 2.5                           | 0.016                                       |
| 13:00             | 0.365                           | 0.035                                      | 3                             | 0.012                                       | 0.342                           | 0.058                                      | 3                             | 0.019                                       |
| 13:30             | 0.350                           | 0.050                                      | 3.5                           | 0.014                                       | 0.298                           | 0.102                                      | 3.5                           | 0.029                                       |
| 14:00             | 0.341                           | 0.059                                      | 4                             | 0.015                                       | 0.286                           | 0.114                                      | 4                             | 0.029                                       |
| 14:30             | 0.300                           | 0.100                                      | 4.5                           | 0.022                                       | 0.265                           | 0.135                                      | 4.5                           | 0.030                                       |
| 15:00             | 0.292                           | 0.108                                      | 5                             | 0.022                                       | 0.259                           | 0.141                                      | 5                             | 0.028                                       |
| 15:30             | 0.286                           | 0.114                                      | 5.5                           | 0.021                                       | 0.254                           | 0.146                                      | 5.5                           | 0.027                                       |
| 16:00             | 0.277                           | 0.123                                      | 6                             | 0.021                                       | 0.252                           | 0.148                                      | 6                             | 0.025                                       |
| 16:30             | 0.275                           | 0.125                                      | 6.5                           | 0.019                                       | 0.250                           | 0.150                                      | 6.5                           | 0.023                                       |
| 17:00             | 0.268                           | 0.132                                      | 7                             | 0.019                                       | 0.248                           | 0.152                                      | 7                             | 0.022                                       |

**Table 5: Continued**

| Local time, t (h) | Dryer 3                         |  |                               |   | Dryer 4                         |  |                               |   |
|-------------------|---------------------------------|--|-------------------------------|---|---------------------------------|--|-------------------------------|---|
|                   | *Final mass of fish, $m_f$ (kg) | **Moisture loss of fish, $\Delta m_f$ (kg) | Duration of drying, $t_d$ (h) | ***Drying rate, $t_r$ (kg h <sup>-1</sup> ) | *Final mass of fish, $m_f$ (kg) | **Moisture loss of fish, $\Delta m_f$ (kg) | Duration of drying, $t_d$ (h) | ***Drying rate, $t_r$ (kg h <sup>-1</sup> ) |
| 10:00             | 0.400                           | 0.000                                      | 0                             | 0.000                                       | 0.400                           | 0.000                                      | 0                             | 0.000                                       |
| 10:30             | 0.393                           | 0.007                                      | 0.5                           | 0.014                                       | 0.393                           | 0.007                                      | 0.5                           | 0.014                                       |
| 11:00             | 0.391                           | 0.009                                      | 1                             | 0.009                                       | 0.393                           | 0.007                                      | 1                             | 0.007                                       |
| 11:30             | 0.388                           | 0.012                                      | 1.5                           | 0.008                                       | 0.390                           | 0.010                                      | 1.5                           | 0.007                                       |
| 12:00             | 0.387                           | 0.013                                      | 2                             | 0.007                                       | 0.390                           | 0.010                                      | 2                             | 0.005                                       |
| 12:30             | 0.374                           | 0.026                                      | 2.5                           | 0.010                                       | 0.375                           | 0.025                                      | 2.5                           | 0.010                                       |
| 13:00             | 0.358                           | 0.042                                      | 3                             | 0.014                                       | 0.368                           | 0.032                                      | 3                             | 0.011                                       |
| 13:30             | 0.300                           | 0.100                                      | 3.5                           | 0.029                                       | 0.351                           | 0.049                                      | 3.5                           | 0.014                                       |
| 14:00             | 0.298                           | 0.102                                      | 4                             | 0.026                                       | 0.343                           | 0.057                                      | 4                             | 0.014                                       |
| 14:30             | 0.284                           | 0.116                                      | 4.5                           | 0.026                                       | 0.325                           | 0.075                                      | 4.5                           | 0.017                                       |
| 15:00             | 0.270                           | 0.130                                      | 5                             | 0.026                                       | 0.293                           | 0.107                                      | 5                             | 0.021                                       |
| 15:30             | 0.266                           | 0.134                                      | 5.5                           | 0.024                                       | 0.278                           | 0.122                                      | 5.5                           | 0.022                                       |
| 16:00             | 0.260                           | 0.140                                      | 6                             | 0.023                                       | 0.276                           | 0.124                                      | 6                             | 0.021                                       |
| 16:30             | 0.256                           | 0.144                                      | 6.5                           | 0.022                                       | 0.273                           | 0.127                                      | 6.5                           | 0.020                                       |
| 17:00             | 0.254                           | 0.146                                      | 7                             | 0.021                                       | 0.270                           | 0.130                                      | 7                             | 0.019                                       |

\*Initial Mass of Fish,  $m_i$  (kg) = 0.4000 kg, \*\* $\Delta m_f = m_i - m_f$  \*\*\* $t_r = \Delta m_f/t_d$

Table 6: Determination of drying rate of fish (Day 2)

| Local time, t (h) | Dryer 1                                  |   |  |  | Dryer 2                                  |   |  |  |
|-------------------|--|---|--|--|--|---|--|--|
|                   | *Final mass of fish, m <sub>f</sub> (kg) | **Moisture loss of fish, Δm <sub>f</sub> (kg) | Duration of drying, t <sub>d</sub> (h) | ***Drying rate, t <sub>r</sub> (kg h <sup>-1</sup> ) | *Final mass of fish, m <sub>f</sub> (kg) | **Moisture loss of fish, Δm <sub>f</sub> (kg) | Duration of drying, t <sub>d</sub> (h) | ***Drying rate, t <sub>r</sub> (kg h <sup>-1</sup> ) |
| 10:00             | 0.400                                    | 0.000   | 0                                      | 0.000  | 0.400                                    | 0.000   | 0                                      | 0.000  |
| 10:30             | 0.392                                    | 0.008   | 0.5                                    | 0.016  | 0.392                                    | 0.008   | 0.5                                    | 0.016  |
| 11:00             | 0.392                                    | 0.008   | 1                                      | 0.008  | 0.389                                    | 0.011   | 1                                      | 0.011  |
| 11:30             | 0.390                                    | 0.010   | 1.5                                    | 0.007  | 0.386                                    | 0.014   | 1.5                                    | 0.009  |
| 12:00             | 0.389                                    | 0.011   | 2                                      | 0.006  | 0.379                                    | 0.021   | 2                                      | 0.011  |
| 12:30             | 0.370                                    | 0.030   | 2.5                                    | 0.012  | 0.360                                    | 0.040   | 2.5                                    | 0.016  |
| 13:00             | 0.365                                    | 0.035   | 3                                      | 0.012  | 0.342                                    | 0.058   | 3                                      | 0.019  |
| 13:30             | 0.350                                    | 0.050   | 3.5                                    | 0.014  | 0.298                                    | 0.102   | 3.5                                    | 0.029  |
| 14:00             | 0.341                                    | 0.059   | 4                                      | 0.015  | 0.286                                    | 0.114   | 4                                      | 0.029  |
| 14:30             | 0.300                                    | 0.100   | 4.5                                    | 0.022  | 0.265                                    | 0.135   | 4.5                                    | 0.030  |
| 15:00             | 0.292                                    | 0.108   | 5                                      | 0.022  | 0.259                                    | 0.141   | 5                                      | 0.028  |
| 15:30             | 0.286                                    | 0.114   | 5.5                                    | 0.021  | 0.254                                    | 0.146   | 5.5                                    | 0.027  |
| 16:00             | 0.277                                    | 0.123   | 6                                      | 0.021  | 0.252                                    | 0.148   | 6                                      | 0.025  |
| 16:30             | 0.275                                    | 0.125   | 6.5                                    | 0.019  | 0.250                                    | 0.150   | 6.5                                    | 0.023  |
| 17:00             | 0.268                                    | 0.132   | 7                                      | 0.019  | 0.248                                    | 0.152   | 7                                      | 0.022  |

Table 6: Continued

| Local time, t (h) | Dryer 3                                  |   |  |  | Dryer 4                                  |   |  |  |
|-------------------|--|---|--|--|--|---|--|--|
|                   | *Final mass of fish, m <sub>f</sub> (kg) | **Moisture loss of fish, Δm <sub>f</sub> (kg) | Duration of drying, t <sub>d</sub> (h) | ***Drying rate, t <sub>r</sub> (kg h <sup>-1</sup> ) | *Final mass of fish, m <sub>f</sub> (kg) | **Moisture loss of fish, Δm <sub>f</sub> (kg) | Duration of drying, t <sub>d</sub> (h) | ***Drying rate, t <sub>r</sub> (kg h <sup>-1</sup> ) |
| 10:00             | 0.400                                    | 0.000   | 0                                      | 0.000  | 0.400                                    | 0.000   | 0                                      | 0.000  |
| 10:30             | 0.393                                    | 0.007   | 0.5                                    | 0.014  | 0.393                                    | 0.007   | 0.5                                    | 0.014  |
| 11:00             | 0.391                                    | 0.009   | 1                                      | 0.009  | 0.393                                    | 0.007   | 1                                      | 0.007  |
| 11:30             | 0.388                                    | 0.012   | 1.5                                    | 0.008  | 0.390                                    | 0.010   | 1.5                                    | 0.007  |
| 12:00             | 0.387                                    | 0.013   | 2                                      | 0.007  | 0.390                                    | 0.010   | 2                                      | 0.005  |
| 12:30             | 0.374                                    | 0.026   | 2.5                                    | 0.010  | 0.375                                    | 0.025   | 2.5                                    | 0.010  |
| 13:00             | 0.358                                    | 0.042   | 3                                      | 0.014  | 0.368                                    | 0.032   | 3                                      | 0.011  |
| 13:30             | 0.300                                    | 0.100   | 3.5                                    | 0.029  | 0.351                                    | 0.049   | 3.5                                    | 0.014  |
| 14:00             | 0.298                                    | 0.102   | 4                                      | 0.026  | 0.343                                    | 0.057   | 4                                      | 0.014  |
| 14:30             | 0.284                                    | 0.116   | 4.5                                    | 0.026  | 0.325                                    | 0.075   | 4.5                                    | 0.017  |
| 15:00             | 0.270                                    | 0.130   | 5                                      | 0.026  | 0.293                                    | 0.107   | 5                                      | 0.021  |
| 15:30             | 0.266                                    | 0.134   | 5.5                                    | 0.024  | 0.278                                    | 0.122   | 5.5                                    | 0.022  |
| 16:00             | 0.260                                    | 0.140   | 6                                      | 0.023  | 0.276                                    | 0.124   | 6                                      | 0.021  |
| 16:30             | 0.256                                    | 0.144   | 6.5                                    | 0.022  | 0.273                                    | 0.127   | 6.5                                    | 0.020  |
| 17:00             | 0.254                                    | 0.146   | 7                                      | 0.021  | 0.270                                    | 0.130   | 7                                      | 0.019  |

\*Initial Mass of Fish, m<sub>i</sub> (kg) = 0.4000kg \*\* Δm<sub>f</sub> = m<sub>i</sub> - m<sub>f</sub> \*\*\* t<sub>r</sub> = Δm<sub>f</sub>/t<sub>d</sub>

Table 7: Average values of ambient temp., fish temp., percent moisture loss of fish and drying rate of fish for day 1 and day 2

|  | Day 1   |         |         |         | Day 2   |         |         |         |
|--|---------|---------|---------|---------|---------|---------|---------|---------|
|  | Dryer 1 | Dryer 2 | Dryer 3 | Dryer 4 | Dryer 1 | Dryer 2 | Dryer 3 | Dryer 4 |
| Avg. Amb temp., t <sub>av</sub> (°C)                           | 22.8    | 22.8    | 22.8    | 22.8    | 22.6    | 22.6    | 22.6    | 22.6    |
| Avg. Fish temp., t <sub>f</sub> (°C)                           | 38.667  | 40.800  | 38.867  | 36.733  | 38.4    | 40.533  | 38.6    | 36.733  |
| Avg. (% moist. Loss, m <sub>L</sub> )                          | 15.217  | 20.667  | 18.683  | 14.700  | 15.217  | 20.667  | 18.683  | 14.700  |
| Avg. drying Rate of fish, t <sub>v</sub> (kg h <sup>-1</sup> ) | 0.014   | 0.020   | 0.017   | 0.013   | 0.014   | 0.020   | 0.017   | 0.013   |

The same mass of fish (0.4 kg) was put inside each of the 4 dryers. The temperature of the fish and ambient temperature were measured by means of a digital thermocouple. The masses of the dryers and their contents were also measured. Readings in all cases were measured and recorded on half-hourly basis over a period of seven h between 1000 and 1700 h for two days. The final mass of the fish in each dryer at each half-hourly interval is determined by the difference between the mass of the dryer and its content at the start of the experiment (1000 h) and its mass at a specified time. They are shown

in Table 1 and 2. The moisture loss, percent moisture loss and drying rate of the fish at half-hourly interval for the four dryers for the two days were determined and tabulated in Table 3-6. The average values of ambient temperature, fish temperature, percent moisture loss of fish and drying rate of fish are shown in Table 7.

## RESULTS AND DISCUSSION

The results of the experiments are presented in Fig. 2-7. Figure 2 and 3 show that Dryer 2 with 2 layers




Fig. 2: Graph of fish temperature vs local day time for day 1




Fig. 3: Graph of fish temperature vs local day time for day 2




Fig. 4: Graph of percent moisture loss fish vs local day time for day 1




Fig. 5: Graph of percent moisture loss fish vs local day time for day 2




Fig. 6: Graph of drying rate of fish vs local day time for day 1




Fig. 7: Graph of drying rate of fish vs local day time for day 2

of solar collector has the maximum fish temperature of 52°C for the 2 days. The performance is followed by Dryer 3 (46°C), Dryer1 (47°C for Day 1, 46°C for Day 2) and Dryer 4 (44°C).

Figure 4 and 5 show that the percent moisture loss of fish in Dryer 2 was the highest with a value of 38.0% followed by Dryer 3 (36.5 %), Dryer 1 (33.0 %) and Dryer 4 (32.5 %).

On the basis of drying rate of fish, Fig. 6 and 7 depict that Dryer 2 had the highest drying rate of 0.02 kg h<sup>-1</sup>, followed by Dryer 3 (0.017 kg h<sup>-1</sup>), Dryer 1 (0.014 kg h<sup>-1</sup>) and Dryer 4 (0.013 kg h<sup>-1</sup>).

### CONCLUSION

Considering the trends in the values of fish temperature, moisture loss, percent moisture loss and drying rate of fish as given in Table 1-7 and Fig. 2-7, it can be inferred that a fish solar dryer using 2 layers of solar collector gives a better performance than any of dryers with single layer, 3 layers or 4 layers of solar collector. Although, the performance of the dryer with 2 layers of solar collector and that of three layers of solar collectors are close, yet that of 2 layers of solar collector is better. Thus, it will be a waste of resources if 3 or 4 layers of solar collector are used for the fish solar dryer. The research also revealed that that by achieving increased drying temperatures fish solar dryers can increase drying rates and produce lower moisture content in the final products.

### Notations:

- $m_f$  = Final mass of fish (kg).
- $m_i$  = Initial mass of fish (kg).
- $m_L$  = Percent moisture loss of fish (%).
- $m_{Lv}$  = Average percent moisture loss of fish (%).
- $t$  = Local time (h).
- $t_a$  = Ambient temperature (°C).
- $t_{av}$  = Average ambient temperature (°C).
- $t_d$  = Drying period (h).
- $t_f$  = Fish temperature (°C).
- $t_{fv}$  = Average fish temperature (°C).
- $t_r$  = Drying rate of fish (kg h<sup>-1</sup>).
- $t_{rv}$  = Average drying rate of fish (kg h<sup>-1</sup>).
- $\Delta m_f$  = Moisture loss of fish (kg).

### REFERENCES

- ASHRAE Handbook, 1997. American Society of Refrigerating Heating and Air-Conditioning Engineers. Fundamentals, S.I. (Ed.). ISBN-101883413443, ISBN-139781883413446, [http://catalog.ebay.com/Ashrae-Handbook-1997-Fundamentals-1-P\\_ISBN-10\\_1883413443\\_ISBN-13\\_9781883413446](http://catalog.ebay.com/Ashrae-Handbook-1997-Fundamentals-1-P_ISBN-10_1883413443_ISBN-13_9781883413446).
- Bansal, N.K., K. Mantred and M. Michael, 1998. Renewable Energy Sources and Conversion Technology. Tata Mc Graw-Hill Publishing Company Ltd. New York.

- Carneige, E.J. and J.G. Pohl, 1978. Agricultural Drying. In: Dickson, W.C. and P.N. Cheremisinoff (Eds.). Solar Energy Handbook. Mariel Dekker Inc.
- Fellows, P. and Hampton, 1992. Small scale food processing: A guide for appropriate equipment (ITDG). Fish and Fish Products, X5434/E, Intermediate Technology publication, Southampton Row, London WC1B4HH, UK, pp: 103-105. ISBN: 1853391085, <http://www.fao.org>.
- ILO, 1986. Solar Drying-Practical Methods of Food Preservation. International Labour Office, Geneva.
- Kreider, J.F. and F. Kreith, 1981. Solar Energy Handbook. McGraw-Hill Book Co., London, SBN-10: 007035474X, ISBN-13: 978-0070354746, <http://www.amazon.com/gp/product/007035474X>.
- Sayigh, M., 1988. Experimentation and Assessment of Various Solar Crops Dryers. Proceedings of Solar Energy Conservation, Pergamon Press, Vol. 2.