Comparison of Soymilk and Cow Milk Nutritional Parameter

¹Bahareh Hajirostamloo and ²Peiyman Mahastie

¹Young Researcher Club, Islamic Azad University, Marand Branch, P.O.Box 54165-161, Marand, Iran ²Department of Food Science and Technology, Islamic Azad University, Tehran Science and Research Branch, P.O. Box 14515-775, Tehran, Iran

Abstract: In this research effort, we compared nutritional parameters of this 2 kind milk such as total fat, fiber, protein, minerals (Ca, Fe and P), fatty acids, carbohydrate, lactose, water, total solids, ash, pH, acidity and calories content in one cup (245 g). Results showed soymilk contains 4.67 g of fat, 0.52 of fatty acids, 3.18 of fiber, 6.73 of protein, 4.43 of carbohydrate, 0.00 of lactose, 228.51 of water, 10.40 of total solids and 0.66 of ash, also 9.80 mg of Ca, 1.42 of Fe and 120.05 of P, 79 Kcal of calories, pH = 6.74 and acidity was 0.24%. Cow milk contains 8.15 g of fat, 5.07 of fatty acids, 0.00 of fiber, 8.02 of protein, 11.37 of carbohydrate, 4.27 of lactose, 214.69 of water, 12.90 of total solids, 1.75 of ash, 290.36 mg of Ca, 0.12 of Fe and 226.92 of P, 150 Kcal of calories, pH = 6.90 and acidity was 0.21%. Soy milk is one of plant-based complete proteins and cow milk is a rich source of nutrients as well. Cow milk is containing near twice as much fat as and 10 times more fatty acids do soymilk. Cow milk contains greater amounts of mineral (except Fe) it contain more than 300 times the amount of Ca and nearly twice the amount of P as does soymilk but soymilk contains more Fe (10 time more) than does cow milk. Cow milk and soy milk contain nearly identical amounts of protein and water and fiber is a big plus, dairy has none. Although, what we choose to drink is really a mater of personal preference and our health objectives but looking at the comparison, soy looks like healthier choices.

Key words: Nutritional parameter, chemical composition, soymilk, cow milk, health

INTRODUCTION

Soy is a low cost source of protein that has been consumed in Asian nations for many centuries. The rapid growing population of the developing countries is facing acute shortage of protein, soy bean is rich protein content and contains fiber, soy products are well appreciated for their nutritional and potential health benefits (Achouri *et al.*, 2007) below is a list of regular sources (Cesario *et al.*, 2004).

Edamame or soybeans: Soybeans are the least processed from of soy protein. Available in most grocery stores, they can be purchased in fresh, frozen or roasted forms. These beans can be eaten alone, like peas or added to salads and stir-fries.

Tofu: Curdling soymilk with a coagulant makes tofu or bean curd. Available in both soft and firm forms, tofu can be used in a variety of recipes to partially replace either meat or dairy products. Due to the common use of calcium sulfate as the curdling agent, tofu can also be a good source of calcium.

Soymilk: Soymilk is another high-quality source of soy protein that is an alternate of dairy animal milk and available in variety of forms, including plain, vanilla, chocolate and... it can used to replace milk added to coffee, tea or cereal.

Human beings are the only species to consume milk past childhood. We are also the only species to consume the milk of another species. There are some great nutritional benefits to milk, for example milk naturally contains a readily absorbable form of calcium and has higher quality protein than soy milk. But, at about the age of 4, most people around the world begin to lose the ability to digest lactose, the carbohydrate found in milk. This results in a condition known as lactose intolerance that causes unpleasant abdominal symptoms, including stomach cramps, flatulence and diarrhea. Lactose intolerance is reality for 75% of the world population. Even though consuming dairy is unnatural and problematic for many people. However, there are many people who cannot drink cow milk because of a milk allergy or out of a values choice like vegan. Soymilk is a healthy drink and is important for people with above problems and had been the first production ever prepared

and consumed by human since long ago. Soymilk not only provides protein but also is a source of carbohydrate, lipid, vitamins and minerals. Soymilk, the highest consumed product among soy foods, is the aqueous suspension of soluble solids extracted from ground, soaked beans is an expensive source of protein and calories for human consumption (Lusas and Riaz, 1995).

In this research effort, we compared nutritional and chemical parameters of this two kind milk such as total fat, fiber, protein, minerals, fatty acids, carbohydrate, lactose, water, total solids, ash, pH, acidity and calorie.

MATERIALS AND METHODS

This study was conducted in 2007, soybean grains obtained from Iranian Agriculture Research Center (Tabriz, Iran) and from the market. Soymilk was the prepared by grinding soybean grains is an osterizer by adding calculated quantity of water. The slurry obtained was diluted so that 100 g of soybean could produce 800 mL soymilk. The slurry so obtained was also homogenized in a homogenizer at 1450 rmp and 8000 psi pressure. The homogenizer soymilk was pasteurized at 80°C for 15 min and then cooled to 25°C (Rehman *et al.*, 2007). Cow milk obtained from dairy farm and market cow milk pasteurizes according HTST (the HTST systems heat the media from ambient, 22-102°C temperature. The systems hold the media at this temperature for a minimum of 10 sec and then cool the media to 37°C).

Then, one cup (245 g) of soymilk and cow milk were analyzed using Gerber method and gas-liquid chromatography for total fat and fatty acids, chemical reactions for fiber and mineral (Ca, Fe and P), macro kjeldahl method for protein, HPLC and Lane-Eynons method for carbohydrate and lactose, autoclaving and dry ashing for water content and ash amount, vacuum oven for total soluble solids. Calories, pH and acidity measured too.

RESULTS AND DISCUSSION

Result obtained from analyzes showed soymilk contains 4.67 g of fat, 0.52 of fatty acids, 3.18 of fiber, 6.73 of protein, 4.43 of carbohydrate, 0.00 of lactose, 228.51 of water, 10.40 of total solids and 0.66 of ash, 9.80 mg of Ca, 1.42 of Fe and 120.05 of P, also 79 Kcal of

calories, pH = 6.74 and acidity was 0.24%. Cow milk contains 8.15 g of fat, 5.07 of fatty acids, 0.00 of fiber, 8.02 of protein, 11.37 of carbohydrate, 4.27 of lactose, 214.69 of water, 1.75 of ash, 12.90 of total solids, 290.36 mg of Ca, 0.12 of Fe and 226.92 of P, also 150 Kcal of calories, pH = 6.90 and acidity was 0.21% (Table 1 and 2).

There is a higher amount of fat (almost twice) fatty acids (almost 10 times). Protein, carbohydrate (almost 3 time), lactose, total solids, ash (almost twice), Ca (almost 300 time), P (almost twice), calories (almost twice) and pH in the cow milk than in the soymilk.

The major difference between soymilk and cow milk is that one is derived from a plant and the other from an animal. Although ethical, hypothetical or debatable issues frequently arise when discussing this subject, this answer is going to deal strictly with the nutritional differences between these to kind of milk. Cow milk, as with all other animal based foods, is a complete protein. It supplies people with all the necessary amino acids to form proteins. All cow milk contains (almost) 8 g of protein and 12 g of carbohydrate and is a rich source of other nutrients as well. One cup can provides adults with 30% of their daily calcium needs and about 50% of their vitamin B₁₂ and riboflavin requirements (Clark, 2007). Often it's fortified with vitamin D to facilitate the absorption of calcium. Vitamin A is usually added to milk as well. Depending on the selection cow milk can have a significant amount fat. Lactose, the primary carbohydrate in cow milk, poses a digestive problem for some people. These folks are deficient in the lactose enzyme that's needed to break down. This milk sugar causing gas, bloating and diarrhea after consuming some forms of dairy products. The solution is to purchase products with the lactose already broken down, to take the enzyme in the form of a pill or drops or to find a substitute for these foods (Clark, 2007). Soymilk is not technically milk but a beverage made from soybeans. It is the liquid that remains after soybeans are soaked, finely ground and then strained, since it doesn't contain any lactose, soymilk is suitable for lactose intolerant folks. It's also popular cow milk substitute for vegetarians since it's based on a plant source. Soy foods are the only plant-based complete proteins, one cup of soymilk contains almost 7 g of protein, 4.5 g of carbohydrate, 4.5 g of fat and no cholesterol. Although, soymilk supplies some B vitamins, it's not a good source of B₁₂ nor does it provide a significant amount of calcium (Yazici et al., 1997).

Table 1: Nutritional composition of soymilk and cow milk (per 1 cup)

Kind of milk	Fat (g)	Fatty acid (g)	Fiber (g)	Protein (g)	Carbohydrate (g)	Lactose (g)	Ca (mg)	Fe (mg)	P (mg)	Calories (Kcal)
Soymilk	4.67	0.52	3.18	6.73	04.43	0	9.8	1.4	120.05	79
Cow milk	8.15	5.07	0	8.02	11.37	4.27	290.36	0.12	226.92	150

 Table 2: Chemical composition of soymilk and cow milk (per 1 cup)

 Kind of milk
 Water (g)
 Total solids (g)
 Ash (g)
 pH
 Acidity (%)

 Soymilk
 228.51
 10.4
 0.66
 6.74
 0.24

6.90

0.21

12.9

214.69

Cow milk

Nowadays, manufacturers have offered fortified versions of soy beverages. These beverages may include calcium and vitamins E, B₁₂ and D among other nutrients. Soymilk and cow milk have similar protein content with close amino acid make up, as for the 9 essential amino acids in protein necessary for sustaining life, cow milk and soymilk contain nearly identical amounts except sulfur containing amino acids which are deficient in soymilk (Chaiwanou et al., 2000). There are also mineral differences among cow milk and soymilk. Soy beverages provide more iron than cow milk, soymilk also contains more magnesium, copper and manganese than dose cow milk. In order to absorb calcium, one needs magnesium, copper also aids in bone formation. Soymilk contains 12 times the amount of copper as doe's cow milk. Soy milk contains 42 times the amount of manganese as doe's cow milk, manganese is also needed for bone formation (Chaiwanon et al., 2000), however, soy is deficient in many other key nutrients and fiber is a big plus and dairy has none.

CONCLUSION

Although, what we choose to drink is really a mater of personal preference and our health objectives but looking at the comparison, soy looks like healthier choices because it scores low in calories, carbohydrate, fat and fatty acid and is important for people who are allergic to cow milk protein and lactose.

REFERENCES

- Achouri, A., J.I. Boye and Y. Zamani, 2007. Changes in soymilk quality as a function of composition and storage. J. Food Qual., 30 (5): 731-744. http://www3.interscience.wiley.com/journal/118520397/issue.
- Cesario, K., F. Steinberg and SH. Zidenberg-Cherr, 2004. Nutrition and health Info-Sheet. University of California, USA. http://nutrition.ucdavis.edu/Info Sheets/ANR/soy fact. pdf.
- Chaiwanon, P., P. Puwastien, A. Nitithamyong and P.P. Sirichakwal, 2000. Calcium fortification in soybean milk and *in vitro* bioavailability. J. Food Comp. Anal., 13: 319-327. http://sciencedirect.com/science/journal/08891575.
- Clark, S., 2007. Comparing milk: Human, cow, goat and commercial infant formula. Washington State University, USA. http://www.saanendoah.com/compare.html.
- Lusas, E.W. and M.N. Riaz, 1995. Soy protein products: Processing and use. J. Nutr., 125: 573-580. http://jn.nutrition.org/content/vol125/3 suppl.
- Rehman, S., H. Navaz, M.M. Ahmad, S. Hussain, A. Murtaza and S.H. Shahid, 2007. Physico-chemical and sensory evalution of ready to drink soy-cow milk blend. Pak. J. Nutr., 6 (3): 283-285. http://www.pjbs.org/pjnonline/6(3).htm.
- Yazici, F., V.B. Alvarez, M.E. Mangio and P.M.T. Hansen, 1997. Formulation and processing of a heat stable calcium-fortified soymilk. J. Food Sci., 62: 535-538. http://www3.interscience.wiley.com/journal/119167 680/issue.