



# Journal of Biological Sciences

ISSN 1727-3048

**science**  
alert

**ANSI***net*  
an open access publisher  
<http://ansinet.com>

## Propensity for One-Night Stands, Uncommitted Sex Could Be Genetic, Study Suggests

*So, he or she has cheated on you for the umpteenth time and their only excuse is: "I just can't help it." According to researchers at Binghamton University, they may be right. The propensity for infidelity could very well be in their DNA.*

In a first of its kind study, a team of investigators led by Justin Garcia, a SUNY Doctoral Diversity Fellow in the laboratory of evolutionary anthropology and health at Binghamton University, State University of New York, has taken a broad look at sexual behavior, matching choices with genes and has come up with a new theory on what makes humans 'tick' when it comes to sexual activity. The biggest culprit seems to be the dopamine receptor D4 polymorphism, or DRD4 gene. Already linked to sensation-seeking behavior such as alcohol use and gambling, DRD4 is known to influence the brain's chemistry and subsequently, an individual's behavior.

"We already know that while many people experience sexual activity, the circumstances, meaning and behavior is different for each person," said Garcia. "Some will experience sex with committed romantic partners, others in uncommitted one-night stands. Many will experience multiple types of sexual relationships, some even occurring at the same time, while others will exchange sex for resources or money. What we didn't know was how we are motivated to engage in one form and not another, particularly when it comes to promiscuity and infidelity."

Gathering a detailed history of the sexual behavior and intimate relationships of 181 young adults along with samples of their DNA, Garcia and his team of investigators were able to determine that individual differences in sexual behavior could indeed be influenced by individual genetic variation.

"What we found was that individuals with a certain variant of the DRD4 gene were more likely to have a history of uncommitted sex, including one-night stands and acts of

infidelity," said Garcia. "The motivation seems to stem from a system of pleasure and reward, which is where the release of dopamine comes in. In cases of uncommitted sex, the risks are high, the rewards substantial and the motivation variable -- all elements that ensure a dopamine 'rush.'"

According to Garcia, these results provide some of the first biological evidence that at first glance, seems to be somewhat of a contradiction: that individuals could be looking for a serious committed long-term relationship, but have a history of one-night stands. At the same time, the data also suggests it is also reasonable that someone could be wildly in love with their partner, commit infidelity, and yet still be deeply attached and care for their partner. It all came back to a DRD4 variation in these individuals. Individual differences in the internal drive for a dopamine 'rush' can function independently from the drive for commitment.

"The study doesn't let transgressors off the hook," said Garcia. "These relationships are associative, which means that not everyone with this genotype will have one-night stands or commit infidelity. Indeed, many people without this genotype still have one-night stands and commit infidelity. The study merely suggests that a much higher proportion of those with this genetic type are likely to engage in these behaviors."

Garcia also cautions that the consequences of risky sexual behavior can indeed be extreme.

"One-night stands can be risky, both physically and psychologically," said Garcia. "And betrayal can be one of the most devastating things to happen to a couple. These

genes do not give anyone an excuse, but they do provide a window into how our biology shapes our propensities for a wide variety of behaviors.”

At this point, very little is known about how genetics and neurobiology influence one’s sexuality propensities and tendencies but Garcia is hopeful that this study will add to the growing base of knowledge -- in particular, how genes might predispose individuals to pursue sensation seeking across all sorts of domains -- from substance use to sexuality. This study also provides further support for the notion that the biological foundations for sexual desire may often operate independently from, although absolutely linked to, deep feelings of romantic attachment.

As Garcia points out, he and his team of study co-authors have only just begun to explore the issue and plan on conducting a series of follow-up and related studies.

“We want to run a larger sample of men and women to replicate these findings and check for several other possible genetic markers,” said Garcia.

“We will also be conducting a number of behavioral and biological studies to better understand what kinds of associated factors motivate uncommitted sexual behavior. Most importantly, we want to explore the receiving end of infidelity by looking at how people respond to cases of uncommitted sex and infidelity.”