

The Impact of Accreditation on Patient Safety and Quality of Care as Perceived by Nursing Staff in a University Hospital in Saudi Arabia

¹B. Al Awa, ²A. Al Mazrooa, ³H.S. Habib, ⁴O. Rayes, ⁵¹K. Al Noury,
¹T. Elhati, ⁶B. El Deek and ³I. Devreux

¹King Abdulaziz University Hospital, Jeddah, Saudi Arabia

²Department of Anesthesia and ICU, King Abdulaziz University, Jeddah, Saudi Arabia

³Faculty of Medicine, King Abdulaziz University, Rabigh College of Medicine, Saudi Arabia

⁴Department of Pediatric Surgery, King Abdulaziz University Hospital, Jeddah, Saudi Arabia

⁵Department of Oto-Rhino-Laryngology, King Abdulaziz University, Jeddah, Saudi Arabia

⁶Department of Medical Education, Faculty of Medicine,
King Abdul-Aziz University, Jeddah, Saudi Arabia

Abstract: Accreditation is an internationally recognized evaluation process used to assess, promote and guarantee efficient and effective quality of patient care and patient safety. This study provides valuable information as to the impact of accreditation in a unique multicultural, multi-language competitive environment at King Abdul-Aziz University Hospital in Saudi Arabia. To achieve an unbiased assessment of the impact of accreditation on quality of patient care and patient safety as perceived by nursing staff. A cross-sectional surveys were conducted pre and post accreditation. A total of 870 registered nurses of 8 different cultural backgrounds from 22 hospital units participated in an electronic accessed surveys. A 5 point Likert scale was used. For comparison, the pre and post-survey results were statistically analyzed using the McNemar test for testing the significance. A total of 721 nurses answered the survey questionnaire, 675 met the survey criteria. The comparison of percentages of those who answered agree and strongly agree pre and post-accreditation items showed post-accreditation improved perception on the quality of patient care and patient safety and promoted good safety practices. Accreditation has an overall statistically highly significant perceived improvement on quality of patient care and patient safety ($p < 0.001$).

Key words: Accreditation, quality of patient care, patient safety, nursing survey, statistically, percentage

INTRODUCTION

There is increased interest around the world in evaluation of healthcare, coming not only from governments but also from healthcare providers and consumers. In the majority of countries, the quality of patient's care provided through the healthcare delivery system has become the focus. Since quality is a crucial factor in health care, initiatives to address quality of health care have become a world-wide phenomenon.

In healthcare, accreditation is a formal process by which a recognized body usually a non-governmental organization, assesses and recognizes that a health care organization meets applicable predetermined and published standards.

These standards are usually regarded as optimal and achievable and are designed to encourage continuous improvement efforts within accredited organizations (Rooney and van Ostenberg, 1999). Accreditation is a learning and continuous quality improvement process. Besides its basic purpose of

assessing hospitals compliance with standards, a hospital accreditation program may play an educative, consultative and informative role and provides a platform for continued dialogue among various stakeholders (Nandraj *et al.*, 2001). However, little is yet known on its impact on quality of patient care and patient safety. Therefore, accreditation has attracted great interest in recent years as a comprehensive approach for improving and maintaining healthcare quality.

The key difference between accreditation and other forms of quality regulation is that by focusing on optimal or desirable rather than minimum standards of patient's care, accreditation has a strong performance improvement orientation, stimulating healthcare organizations to pursue increasingly higher levels of quality beyond the minimum needed for licensing. Another difference is that accreditation has traditionally been a voluntary process in which organizations choose to participate, rather than one required by government regulations. More recently however, some countries have made participation by hospitals legally compulsory (Shaw, 2004).

Several countries have initiated quality improvement and assurance activities. Some of these have launched health facility accreditation programs. Thus patient safety as an attribute of quality is not totally new to many countries. Saudi Arabia is among those countries reported having enacted a law or directive relating to patient safety standards (World Health Organization, 2005). King Abdul-Aziz University Hospital (KAUH) is one of the larger sized governmental hospitals in Saudi Arabia with a total bed capacity of 878 and which was assessed by the Canadian accreditation in the period from 2006-2008. With its size and multicultural patient population, it provided a challenge for any accreditation organization and now it was seen as presenting a valuable and unique multicultural, multi-language competitive environment for this type of study. This environment applies to all who are in direct or indirect contact with the hospital and likewise to the society as a whole within variable degrees.

Context: The Canadian accreditation process was conducted in KAUH during the period 2006-2008. The first stage of accreditation process dates back to 2007 while the second stage was in 2008. Throughout the process, the hospital was exposed to challenging self-assessment of present standards, meeting the required standards and data collection which included many different clinical indicators. The hospital had met the accreditation requirements successfully.

Objective: To evaluate the perception of KAUH nursing staff on the quality of patients care and patients safety after application of the Canadian accreditation and its contributing factors that can explain changes, if any.

MATERIALS AND METHODS

KAUH nursing staff was surveyed in an effort to assess their perception on quality of patient care and patient safety as a result of Canadian accreditation. The same survey had been conducted before and after the accreditation process.

For comparison, the pre and post survey results were statistically analyzed using McNemar test for testing the significance of difference between two sample proportions. Calculation of the coefficient of improvement percent relates the result to the original state of opinion of the surveyed group and thus gives a true relative indicator of the change.

Survey design: A cross-sectional survey design was conducted pre and post accreditation using the five points Likert scale as the survey tool.

Survey sample: KAUH is one of the larger sized hospitals in Saudi Arabia with total of 878 beds capacity with a unique multicultural, multi-language competitive environment. A total of 870 registered nurses of 8 different cultural backgrounds from 22 hospital units were given electronic access to answer the survey questionnaire. The most numerically predominant cultures were the Indian (44.53%) and the Filipino (41.00%). Second to this highly significant foreign culture came (11.73%) with different Arabic cultures of which (78.6%) were Saudi nationals. The remaining cultural minorities, (2.74%) represent other Western and Asian cultures. Of the complied nurses, a total of 721 nurses answered the survey questionnaire (82.87% response rate), 675 (93.62%) met the survey criteria. Only those who answered: Agree and Strongly Agree for pre and post-accreditation items questioned in the survey were taken in consideration for statistical comparisons.

Survey instrument: The survey tools consisted of 4 major scales with 18 subscales that were rated on a 5 point Likert scale (ranging from 1 for strongly disagree to 5 for strongly agree) as presented in the results section. A section on demographics, e.g., nationality, gender, age, educational qualifications, occupational category and years of experience was also included. Ethical approval was obtained from the KAUH administrators together with written consents from participating nurses before proceeding with the study.

RESULTS AND DISCUSSION

A total of 721 nurses answered the survey questionnaire (82.87% response rate), 675 (93.62%) met the survey criteria. Only those who answered: agree and strongly agree for pre and post-accreditation items questioned in the survey were taken in consideration for statistical comparisons.

The results of the present study are shown in Table 1-4 with each table presenting the scores of answers to the components of one item of the study questionnaire. Table 1 shows the pre and post-survey results of nursing clinical information. It is clear from the table that there is an overall statistically highly significant positive attitude towards the application of the accreditation process in the form of (13-35%) increased percentages in response to all items surveyed post-accreditation as compared to the pre-accreditation survey ($p < 0.001$).

On the other hand, lower values (7-24%) of the positive attitude towards the application of the accreditation process are shown in Table 2 which shows

Table 1: Comparison of compliance as perceived by KAUH nursing staff pre and post-accreditation on nursing clinical information at KAUH (n = 675)

Nursing clinical information	Agree and strongly agree		Perceived improvement (%)	McNemar test		Relative improvement (%)
	Pre (%)	Post (%)		χ^2	p-value	
Patient identifier	82	95	13	86.011	<0.001	15.85
Patient orders and reporting	76	97	21	139.007	<0.001	27.63
Abbreviations and symbols	51	86	35	236.004	<0.001	68.63
Timeliness of reporting and receipt	64	90	26	178.006	<0.001	40.63
Hand off communications	60	92	32	211.005	<0.001	53.33

Table 2: Comparison of compliance as perceived by KAUH nursing staff pre and post-accreditation on patient medication information at KAUH (n = 675)

Patient medication information	Agree and strongly agree		Perceived improvement (%)	McNemar test		Relative improvement (%)
	Pre (%)	Post (%)		χ^2	p-value	
Look alike/sound alike medications	50	68	18	120.008	<0.001	36.00
Medication label	84	97	13	83.012	<0.001	15.48
Patient's current medications	49	56	7	49.020	<0.001	14.29
Drug concentrations	61	85	24	163.006	<0.001	39.34

Table 3: Comparison of compliance as perceived by KAUH nursing staff pre and post-accreditation on risk management of information at KAUH (n = 675)

Risk management of information	Agree and strongly agree		Perceived improvement (%)	McNemar test		Relative improvement (%)
	Pre (%)	Post (%)		χ^2	p-value	
Communicate to patients about safety	46	90	44	295.003	<0.001	95.65
Identify patients at risk	73	92	19	121.008	<0.001	26.03
Pre-operative verification process	77	87	10	67.014	<0.001	12.99
Operative marks	23	46	23	155.006	<0.001	100.00
Time out process	39	50	11	73.013	<0.001	28.21

Table 4: Comparison of compliance as perceived by nursing staff pre and post-accreditation on nursing action to prevent risk at KAUH (n = 675)

Nursing action to prevent risk	Agree and strongly agree		Perceived improvement (%)	McNemar test		Relative improvement (%)
	Pre (%)	Post (%)		χ^2	p-value	
Hand hygiene guidelines	56	89	33	225.004	<0.001	58.93
Fall reduction program	71	94	23	155.006	<0.001	32.39
Management of unanticipated death	69	87	18	120.008	<0.001	26.09
Patient's discharge/transfer	68	76	8	48.020	<0.001	11.76

the pre and post-survey results on patient medication information. The results indicate that there is an overall statistically highly significant increase in all items surveyed post-accreditation as compared to the pre-accreditation survey ($p < 0.001$).

Meanwhile, the data shown in Table 3 on the pre and post-survey results of risk management show the highest percentage of improvement (10-44%). It is clear from the table that there is an overall statistically highly significant increase in the positive attitude towards the application of the accreditation process on all items surveyed post-accreditation as compared to the pre-accreditation survey ($p < 0.001$).

Where is Table 4 shows the pre and post-survey results of nursing action to prevent risk. Evident in the table is an overall statistically highly significant increase in the positive attitude towards the application of the accreditation process in 4 out of 4 items surveyed, (8-33%) post-accreditation as compared to the pre-accreditation survey ($p < 0.001$).

Statistical analysis of the results of the evaluation of nursing staff perceptions on quality of patient care and patient safety in this study were on alignment with

measured indicators of this research as majority of the surveyed staff found (agree/strongly agree) that the accreditation has a positive impact on quality of patient's care and subsequently patient outcomes. The results of the coefficient of improvement percent (Relative Improvement) which relates the post-accreditation change to the original state of opinion of the surveyed group will be reported on in the discussion section.

Many countries are embarking on accreditation programs without any evidence that they are the best use of resources for improving quality and no evidence about the effectiveness of different systems and ways to implement them (Ovretveit and Gustafson, 2003). Conflicting findings hold in comparing accredited and non-accredited hospital quality indicator performance. Quality indicator results from hospitals that voluntarily participate with quality improvement organizations could not be differentiated from those hospitals that do not participate (Synder and Anderson, 2005). However, another study revealed that accredited hospitals performed better on a range of quality indicators than did non-accredited hospitals, albeit there was considerable variation of performance within the accredited hospitals

(Chen, 2003). Since there were few uncertainties regarding the impact of accreditation process on the quality of patient's care and patient's safety, Shortell *et al.* (1995) and Pomey *et al.* (2004) provided conceptual guidance to the study. Pomey *et al.* (2004) assessed the organizational changes in France after accreditation and argued that accreditation can promote quality improvement implementation in hospitals thus lead to better outcomes. In their study, Shortell *et al.* (1995) argued that the quality improvement implementation leads to greater perceived patients outcomes. Furthermore, Shortell *et al.* (1995) found that large sized hospitals face some difficult challenges in terms of quality improvement implementation, underlining the importance of assessing hospital size.

Saudi Arabia as one of the first countries in the Eastern Mediterranean Region to implement healthcare accreditation standards had however, little or no data describing its impact on the quality of patient care. It is not possible to draw direct comparisons between the outcomes of such a process in different countries due to multiple variations in the accreditation processes, the local legislation and cultural factors.

For those reasons, the present study provides valuable unbiased assessment of the impact of accreditation on quality of patient care and patient safety as perceived by nursing staff pre and post-Canadian accreditation in KAUH in Saudi Arabia.

The study focused on nursing as being one of the most critical factors in determining the quality of patient care and the nature of patient outcomes. It is known that nurses spend 90% of their time caring for patients (O'Brien-Pallas *et al.*, 2003) so obviously are in an ideal position for assessing the impact of accreditation on the quality of patient care and patient safety as they perceive it to be pre and post accreditation.

As for the nursing staff who participated in the present study eight different cultural backgrounds were recognized. The most numerically predominant cultures were the Indian (44.53%) and Filipino (41.00%) and second to this highly significant foreign culture come (11.73%) Arabic cultures of which (78.6) were Saudi nationals. Albeit numerically highly significantly lower percentage of the overall cultural groups they might represent and reflect considerable effects on the outcome of the study as being deeply rooted in the society and consequently might have dominant cultural effects. The remaining cultural minorities (2.74%) represent other Western and Asian cultures.

Evaluation of the perception of KAUH nursing staff on the quality of patient care pre and post the implementation of the Canadian accreditation to a

multicultural, multi-language competitive environment points to an overall statistically highly significant post-accreditation improvement ($p < 0.001$) for the following dimensions: Nursing clinical information, patient medication information, risk management information and nursing action to prevent risk.

In this study the pre and post-survey results of nursing clinical information as shown in Table 1 shows an overall statistically highly significant positive attitude towards the application of the accreditation process in the form of 13-35% increased percentages in response to all items surveyed post-accreditation as compared to the pre-accreditation survey. The coefficient of variation percent in change of the above mentioned item is almost parallel to the perceived improvement percent as the original opinions of the nursing staff reflect mostly a positive overview to the subject under evaluation.

However, the coefficient of variation percent in change of nursing staff opinions on patient medication information as shown in Table 2 should change the overview about the concept of evaluating the lower score improvements, (7 and 13% for patient's current medications and medication labels, respectively) which has been changed to almost an equal value of about 14-15% whilst mid-valued improvements in opinion of 18 and 24% for look alike/sound alike medications and drug concentrations, respectively which has been changed to almost 36-40%. It is clear from the table however that there is an overall statistically highly significant increase in all items surveyed post-accreditation compared to the pre-accreditation survey.

Meanwhile, the data shown in Table 3 on the pre and post-survey results of risk management of information reflects clearly the importance of the concept of the value of the coefficient of variation percent in change in such cases where the starting percentage of opinions are highly variable as is the case with risk management of information (23-77%) that has been improved by 10 and 23% for pre-operative verification process and operative marks, respectively. Not surprisingly, the 10% improvement has been turned to give a 12.99% coefficient of improvement percent while the 23% improvement gave a surprisingly 100% coefficient of variation with respect to the original opinion of only 23%. However, it is clear from the table that there is an overall statistically highly significant increase in the positive attitude towards the application of the accreditation process on all items surveyed post-accreditation as compared to the pre-accreditation survey.

The same rules apply without doubt to Table 4 for the pre and post-survey results of nursing action to prevent risk. Here we see an overall statistically highly

significant increase in the positive attitude towards the application of the accreditation process in 4 out of 4 items surveyed (8-33%) post-accreditation as compared to the pre-accreditation survey ($p < 0.001$).

One of the most important angles of view in the present study is the conceptual analysis of the pre-accreditation items that scored 50% or less and their post-accreditation improvement and its coefficient percentage. In this respect, Table 2 patient medication information shows two highly critical items that scored 50 and 49% pre-accreditation; i.e., items No. 1 and 3 on look alike/sound alike medications which has been improved post-accreditation by 18% with a coefficient of improvement of 36.00% and patient's current medications which has been improved post-accreditation by only 7% with a coefficient of improvement of 14.29%, respectively. More critical items that scored $< 50\%$ pre-accreditation are shown in Table 3 concerned with risk management of information. Items No. 1 on communicate to patients about safety, item No. 4 on operative marks and item No. 5 on time out process scored 46, 23 and 39% and improved by 44, 23 and 11% with coefficient of improvements of 95.65, 100.0 and 28.21%, respectively. All such items are very significant in the repeatedly stressed on multicultural, multi-language environment.

There is no doubt that all accreditation organizations have considered patient safety and risk management as a vital aspect of their programs. However, we discovered during the process that their approach to patient safety was not exhausted and that the true value of accreditation may lie in its ability to generate discussion and stimulate change in general. The ability to ascertain the impact of accreditation depends on the measurement techniques available for measuring the impact, therefore it could be described as an imprecise science and best described perhaps as a management consultancy approach to problem solving rather than a tool for measuring the organization's performance. The Canadian accreditation process at King Abdul-Aziz University Hospital with its unique multicultural, multi-language competitive environment significantly improved positive impact on the quality of patient care and patient safety indicators tackled in this research.

CONCLUSION

Despite all the barriers created by the multicultural, multi-language environment in which we provide the patient care, the Canadian accreditation process conducted at King Abdul-Aziz University Hospital has generated a positive impact on the quality of patient care and patient safety as supported by this study.

RECOMMENDATIONS

The researchers strongly recommend that in order to further improve the patient outcomes, evaluate more indicators and further confirm the unbiased assessment of the impact of accreditation on the quality of patient care and patient safety as perceived by the nursing staff, the study presented in this research should be repeated on a yearly basis in the hospital with evaluation of the survey format made and altered to meet any new strategic changes in the hospital environment.

REFERENCES

- Chen, J., S.S. Rathore, M.J. Radford and H.M. Krumholz, 2003. JCAHO accreditation and quality of care for acute myocardial infarction. *Health Affairs*, 22: 243-254.
- Nandraj, S., A. Khot, S. Menon and R. Brugha, 2001. A stakeholder's approach towards hospital accreditation in India. *Health Policy Planning*, 2: 70-79.
- O'Brien-Pallas, L., C. Alksnis, S. Wang, S. Birch, G.T. Murphy, F.A. Roy and P. Sajan, 2003. Early retirement among RNs: Estimating the size of the problem in Canada. *Longwoods Rev.*, 1: 2-9.
- Ovretveit, J. and D. Gustafson, 2003. Using research to inform quality programmes. *BMJ*, 326: 759-761.
- Pomey, M.P., A.P. Contandriopoulos, P. Francois and D. Bertrand, 2004. Accreditation: a tool for organizational change in hospitals. *Int. J. Health Care Qual. Assur.*, 17: 113-124.
- Rooney, A.L. and P.R. van Ostenberg, 1999. Licensure, accreditation and certification: Approaches to health services quality. *Quality Assurance Methodology Refinement Series, Quality Assurance Project, Center for Human Services*. <http://www.qaproject.org/pubs/PDFs/accredmon.pdf>.
- Shaw, C.D., 2004. *Developing Hospital Accreditation in Europe*. World Health Organization, Rome.
- Shortell, S.M., J.L. O'Brien, J.M. Carman, R.W. Foster, E.F. Hughes, H. Boerstler and E.J. O'Connor, 1995. Assessing the impact of continuous quality improvement/total quality management: concept versus implementation. *Health Serv. Res.*, 30: 377-401.
- Snyder, C. and G. Anderson, 2005. Do quality improvement organizations improve the quality of hospital care for medicare beneficiaries. *JAMA*, 293: 2900-2907.
- World Health Organization, 2005. Regional committee for the Eastern mediterranean. Technical Paper Regional Strategy for Enhancing Patient Safety. Fifty-Second Session Agenda Item 5 (b). <http://www.emro.who.int/rc52/media/pdf/EMRC5204en.pdf>.